




Spare parts for:

Cooking equipment



Thermostats



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.
Updates will be issued in case of additions
and/or amendments.

Rel. 2014-01161753





Thermostats



SINGLE-PHASE REGULATION AND SAFETY THERMOSTATS IMIT




Photo	LF Code	Temperature °C	Capillary Length mm	Bulb ø mm	Bulb Length mm	(Z) Stuffing gland	EGO Code No
A	3444004	0-90	1500	6,5	95	no	
A	3444005	0-120	1500	6,5	95	no	
A	3444347	0-195	1000	5	120	no	
A	3444006	0-210	1000	5	140	no	
A	3444335	0-250	940	3	190	no	
A	3444007	0-300	1500	3,5	190	no	
B	3444169	220	1500	5	125	no	
B	3444348	235	1000	5	100	no	

SINGLE-PHASE REGULATION THERMOSTATS




Photo	LF Code	Temperature °C	Capillary Length mm	Bulb ø mm	Bulb Length mm	(Z) Stuffing gland	EGO Code No
A	3744011	10-280	1600	4	225	yes	5519054201
A	3744045	30-90	900	6	130	no	5519012805
A	3444346	30-90	900	6	130	yes	5519012801
A	3444019	30-90	1000	6	130	no	5519012800
A	3744069	30-90	2000	6	130	no	5519019822
A	1444012	30-95	850	6	140	yes	5519212020
A	3444510	30-110	850	6	138	yes	5519022819
A	3444489	30-110	900	6	125	no	5519022809
A	3744010	30-110	1800	6	135	yes	5519025201
A	3744094	30-150	1600	3	145	no	5519029806
A	3444344	30-300	1200	4	120	no	5519059030
A	3444391	45-170	870	3	220	no	5519032850
A	3444627	45-255	900	6	74	no	5519252807
A	3444774	45-295	900	4	95	no	5519052840
A	3444388	50-190	600	6	75	no	5519039822
A	3444642	50-190	850	4	230	no	5519032840
A	3744099	50-270	800	3	230	no	5519052846
A	3444043	50-270	1300	3	220	no	5519259811
A	3444289	50-270	3000	3	210	yes	5519256800
A	3444176	50-270	1300	4	120	no	5519059803
A	3444648	50-295	1300	3	220	no	5519053807
A	3444174	50-300	900	3	220	no	5519062800
A	3444145	50-310	1600	4	120	no	5519064800
A	3444369	50-320	900	3	220	no	5519062802
A	3444893	55-180	1500	4	90	no	5519034809



Photo	LF Code	Temperature °C	Capillary Length mm	Bulb ø mm	Bulb Length mm	(Z) Stuffing gland	EGO Code No
A	3444701	55-250	1170	3	226	yes	5519243010
A	3444643	60-150	900	3	220	no	5519022813
A	3444397	60-180	1200	6	135	no	5519033010
A	3444387	60-180	3000	6	130	yes	5519036801
A	3744068	60-200	900	6	80	yes	5519032827
A	3444070	60-200	1500	6	80	no	5519234800
A	3444586	75-450	900	4	228	no	5519082805
A	3444423	85-170	900	4	231	yes	5519032808
A	3444623	85-170	900	6	160	no	5519032838
A	3444900	85-175	900	6	130	yes	5519035201
A	3444380	90-180	900	6	135	yes	5519032813
A	3444384	90-180	900	4	95	no	5519039805
A	3444384	90-180	900	4	95	no	5519039805
A	3444438	90-180	1300	4	230	no	5519039010
A	3444032	90-185	1300	4	230	no	5519039800
A	3444784	100-175	2400	6	130	no	5519034800
A	3744008	100-180	900	6	130	yes	5519032203
A	3744008	100-180	900	6	130	yes	5519032203
A	3444482	100-185	1800	4	230	yes	5519035802
A	3444652	100-190	870	4	235	no	5519032807
A	3444111	100-190	900	6	130	yes	5519032805
A	3444233	100-190	1750	6	133	yes	5519035800
A	3744096	100-300	900	6	74	no	5519052802
A	3444568	105-185	900	6	130	yes	5519032831
A	3744004	150-200	2000	6	135	no	5519039201
B	3444000	90-185	900	14	10	no	5519032825

SINGLE-PHASE REGULATION THERMOSTATS WITH SELECTOR SWITCH




Photo	LF Code	Temperature °C	Capillary Length mm	Bulb ø mm	Bulb Length mm	(Z) Stuffing gland	EGO Code No
A	3444018	30-90	1000	6	175	no	5519619030
A	3444477	50-260	1270	4	120	no	5519659010
A	3444885	53-180	1100	6	140	no	5519639020
A	3444031	90-185	2500	4	230	no	5519639800
B	3444137	20-120	900	14	9	no	5519639800
B	3444062	50-320	900	3	220	no	5519962809
B	3444550	50-320	900	3	225	no	5519062845
B	3444262	100-180	850	11	10	no	5519062845
B	3444358	105-185	900	6	135	yes	5519932802



Thermostats



SINGLE-PHASE REGULATION THERMOSTATS WITH SELECTOR SWITCH 2




Photo	LF Code	Temperature °C	Capillary Length mm	Bulb ø mm	Bulb Length mm	(Z) Stuffing gland	EGO Code No
A	3444313	30-110	900	6	120	no	5141918050
A	3444051	45-250	900	3	220	no	5143918410

SINGLE-PHASE REGULATION THERMOSTATS WITH SELECTOR SWITCH 3




Photo	LF Code	Temperature °C	Capillary Length mm	Bulb ø mm	Bulb Length mm	(Z) Stuffing gland	EGO Code No
A	3444674	30-90	2400	6	100	yes	5513619210
A	3444473	30-110	870	6	130	no	5513622100
A	3444664	30-110	1470	6	113	yes	5513624060
A	3444672	30-110	2400	6	110	yes	5513629050
A	3444668	50-320	3100	3	160	no	5513669050
A	3444492	90-185	2410	6	130	no	5513639010
A	3444666	100-185	2400	6	90	yes	5513639030
A	3444494	130-400	800	4	165	no	5513672020
A	3444665	140-195	880	6	77	yes	5513632030

SINGLE-PHASE REGULATION THERMOSTATS 2




Photo	LF Code	Temperature °C	Capillary Length mm	Bulb ø mm	Bulb Length mm	(Z) Stuffing gland	EGO Code No
A	3444074	45-265	2000	3	220	no	5103998400
A	3444063	50-320	900	3	220	no	5103915020
A	3444029	90-185	900	4	230	no	5102918080
A	3444101	90-220	900	4	229	yes	5102918040
A	3444376	95-190	900	6	135	yes	5102918320



SINGLE-PHASE REGULATION THERMOSTATS 3




Photo	LF Code	Temperature °C	Capillary Length mm	Bulb ø mm	Bulb Length mm	(Z) Stuffing gland	EGO Code No
A	3444913	30-85	900	6	100	yes	5513012060
A	3444669	30-90	2450	6	100	yes	5513219440
A	3444422	30-110	830	6	113	no	5513222010
A	3444698	30-110	870	6	113	yes	5513022370
A	3444746	30-110	3000	3	197	no	5513229030
A	3444421	30-115	1770	4	120	no	5513025040
A	3444980	30-120	870	6	100	yes	5513022310
A	3444743	30-125	2200	3	160	no	5513229050
A	3444569	50-120	3000	6	85	no	5513026050
A	3444659	50-175	680	4	155	no	5513039070
A	3444663	50-195	2300	4	160	no	5513039110
A	3444699	50-200	870	6	80	yes	5513032430
A	3444633	50-205	870	6	77	no	5513042310
A	3444258	50-215	850	3	200	yes	5513042290
A	3444647	50-215	2300	6	78	no	5513039120
A	3444973	50-250	1100	3,1	205	no	5513043060
A	3444747	50-250	1150	3	195	no	5513042010
A	3444414	50-250	1430	3	160	yes	5513244010
A	3444744	50-280	1270	3	160	no	5513059020
A	3444361	50-300	950	3	160	no	5513069500
A	3444697	50-320	2300	3	160	no	5513069020
A	3444675	50-320	3150	3	160	no	5513069540
A	3744104	97-190	1500	9	90	yes	5513034120
A	3444938	100-175	900	6	100	no	5513032370
B	3444523	50-85	2000	6	115	no	5518019130
B	3444526	50-95	1450	6	110	no	5518014020
B	3444524	50-116	1750	6	110	no	5518025010
B	3444766	50-190	400	6	120	no	5518031010
B	3444766	50-190	400	6	120	no	5518031010
B	3444257	50-324	850	3	160	no	5518062170
B	2111771	130-190	870	6	117	no	5518032020



Thermostats



SINGLE-PHASE SAFETY THERMOSTATS



Photo	LF Code	Temperature °C	Capillary Length mm	Bulb ø mm	Bulb Length mm	(Z) Stuffing gland	EGO Code No
A	3444352	130	870	6	129	no	5519522020
A	3444564	140	870	3	226	no	5519522030
A	3444772	140	900	6	130	no	5519522010
A	3444485	150	900	3	220	no	5519522080
A	3444649	200	870	6	133	no	5519532010
A	3444064	220	790	3	178	no	5519549040
A	3444107	220	870	6	142	yes	5519542010
A	3444026	220	900	6	80	no	5519542200
A	3444080	220	2000	6	133	no	5519549020
A	3444629	220	2000	6	87	no	5519549030
A	3444199	230	850	4	120	yes	5519542140
A	3444071	230	870	6	77	no	5519542130
A	3444654	230	870	6	77	no	5519542070
A	3444654	230	870	6	77	no	5519542070
A	3444239	230	1000	6	130	yes	5519542040
A	3444690	230	1480	4	125	no	5519549050
A	3444367	235	870	6	133	no	5519542090
A	3444624	235	870	6	133	no	5519542080
A	3744065	240	2000	6	135	no	5519549010
A	3444372	245	1170	6	133	no	5519543010
A	3444687	300	900	6	74	no	5519552020
A	3444120	320	900	6	80	no	5519562020
A	3444686	350	900	6	80	no	5519562090
A	3444209	355	880	4	124	no	5519572010
A	3444278	360	890	3	200	no	5519572020
B	3444312	360	1500	4	110	no	5532574800
C	3444138	230	850	14	10	no	5519542190
C	3444238	230	850	14	26	no	5519542030
C	3444637	230	850	11	18	no	5519542170
C	3444266	338	830	14	10	no	5532562816
D	3444753	55	900	3	230	no	5519312801
D	3444964	60	1800	6	135	no	5510312201
D	3444545	140	900	4	158	no	5519322801
D	3444319	150	900	6	70	no	5519122803
D	3444350	150	1000	6	86	no	5519129010
D	3444558	238	1250	6	74	no	5519143010
E	3444389	230	600	6	83	no	5514549804
E	3444377	240	1300	6	80	yes	5514549826
E	3444417	340	900	3	145	yes	5514562803



SINGLE-PHASE SAFETY THERMOSTATS 2




Photo	LF Code	Temperature °C	Capillary Length mm	Bulb ø mm	Bulb Length mm	(Z) Stuffing gland	EGO Code No
A	3444736	130	850	6	130	no	5513522090
A	3444782	132	850	3	250	yes	5513522020
A	3444783	135	900	6	80	no	5513529140
A	3444899	135	1500	6	80	no	5513524070
A	3444763	140	1550	6	77	no	5513529170
A	3444670	190	350	3	178	yes	5513531010
A	3444908	210	900	6	80	yes	5513532020
A	3444903	220	900	6	80	yes	5513542200
A	3444922	225	900	6	90	no	5513542140
A	3444696	230	850	6	80	yes	5513542270
A	3444789	230	1050	6	96	yes	5513549030
A	3444259	245	850	3	200	yes	5513542280
A	3444646	245	870	14	10	no	5513542110
A	3444732	246	900	6	80	yes	5513542100
A	3444656	285	730	4	112	no	5513559010
A	3444673	330	900	3	140	no	5513562060
A	3444689	340	870	3	160	no	5513562170
A	3444671	340	1170	3	200	no	5513563020
A	3444831	360	900	3	145	no	5513562900
A	3444256	420	1100	4	230	no	5513583010
B	3444539	80	1500	6	90	no	5513114020
B	3744061	125	900	3	150	no	5513322020
B	3444929	140	900	6	90	no	5513122110

THREE-PHASE REGULATION THERMOSTATS




Photo	LF Code	Temperature °C	Capillary Length mm	Bulb ø mm	Bulb Length mm	(Z) Stuffing gland	EGO Code No
A	3444468	30-85	1500	6	138	yes	5534014150
A	3444812	30-90	870	6	130	no	5534012800
A	3744064	30-90	900	6	130	no	5534012030
A	3444364	30-90	900	6	135	yes	5534012859
A	3444067	30-90	1000	6	130	no	5534019805
A	3444088	30-110	900	6	130	yes	5534022802
A	3444076	30-110	1200	6	130	no	5534023815
A	3444711	30-110	1500	6	130	no	5534024805
A	3444190	30-110	3000	6	135	yes	5534226040
A	3444713	40-320	900	3	220	no	5534062801
A	3444620	45-120	870	6	140	no	5534222807



Thermostats



Photo	LF Code	Temperature °C	Capillary Length mm	Bulb ø mm	Bulb Length mm	(Z) Stuffing gland	EGO Code No
A	3444630	50-270	900	3	220	no	5534052831
A	3444894	50-275	900	3	220	no	5534052809
A	3444790	50-300	800	4	120	no	5534062819
A	3444349	50-300	860	4	240	no	5534062826
A	3444469	50-300	880	3	226	no	5534052150
A	3444504	50-300	880	4	128	no	5534052020
A	3444694	50-300	880	6	77	no	5534052010
A	3444619	50-300	900	3	220	no	5534052812
A	3444251	50-300	1100	3	220	no	5534059801
A	3444435	50-300	1150	3	330	no	5534059824
A	3444505	50-300	1440	4	290	no	5534054060
A	3444561	50-300	1740	6	80	no	5534055020
A	3444168	50-310	900	4	220	no	5540062030
A	3444052	50-320	900	3	230	no	5534062807
A	3444103	50-320	900	3	220	no	5534062800
A	3444778	55-240	900	4	95	no	5534042805
A	3444033	60-165	900	8	115	yes	5534039811
A	3444559	60-185	1200	4	229	no	5534033801
A	3444102	60-200	900	6	80	no	5534032030
A	3444503	60-200	900	6	80	yes	5534032160
A	3444044	60-260	1300	4	130	no	5534059805
A	3444038	60-320	1300	4	130	no	5534069804
A	3444425	65-125	900	6	70	no	5534022813
A	3444594	65-200	880	6	77	yes	5534032060
A	3444371	70-195	1500	6	135	no	5534034845
A	3444779	75-295	900	4	92	no	5534052811
A	3444366	90-180	900	6	135	yes	5534032858
A	3444420	90-185	1600	3	240	no	5534034210
A	3744007	90-195	900	6	135	no	5534032090
A	3744098	95-180	1800	6	130	no	5534035130
A	3444166	95-180	1800	6	135	yes	5534035080
A	3744055	95-185	1480	6	120	no	5534034010
A	3444745	95-185	2420	6	133	yes	5534039020
A	3444491	95-220	1480	6	120	yes	5534044020
A	3444570	95-230	1250	4	128	no	5534043800
A	3444078	100-175	2000	6	130	no	5534039837
A	3444234	100-180	1450	6	134	no	5534034801
A	3444198	100-180	2000	6	130	no	5534039800
A	3444040	100-300	1150	6	80	no	5534059806
A	3444638	100-330	900	6	75	no	5534062803
A	3744062	100-350	1470	6	75	no	5534064010
A	3444562	100-350	1800	6	80	no	5534069030
A	3744110	100-350	1800	6	80	no	5534065010
A	3444490	100-470	1000	4	165	no	5540083010
A	3444028	105-185	2800	4	235	no	5534039807
A	3444086	108-192	900	7	200	no	5534032800
A	3444443	115-300	1150	3	144	no	5534059812
A	2101663	118-190	880	6	135	no	5534232030
B	3444546	30-120	900	11	28	no	5534022829



THREE-PHASE REGULATION THERMOSTATS WITH SELECTOR SWITCHES




Photo	LF Code	Temperature °C	Capillary Length mm	Bulb ø mm	Bulb Length mm	(Z) Stuffing gland	EGO Code No
A	3444357	50-150	1100	6	120	no	5534023801
A	3444359	60-320	1400	4	123	no	5534964800
A	3444311	100-260	1100	6	70	no	5534959801
B	3444146	100-300	1250	6	78	no	5534959800
C	3444148	50-300	850	6	78	no	5534952803
C	3444147	50-320	1400	3	220	no	5534063816
D	3444749	50-300	1500	6	80	no	5540654010
D	3444748	60-180	1800	6	133	yes	5534635010
D	3444702	3444702	720	3	300	no	5534639010

THREE-PHASE SAFETY THERMOSTATS




Photo	LF Code	Temperature °C	Capillary Length mm	Bulb ø mm	Bulb Length mm	(Z) Stuffing gland	EGO Code No
A	3444734	135	1470	6	175	yes	5531524030
A	3444024	160	900	6	175	no	5531532050
A	3444323	225	950	6	155	no	5531549050
A	3444090	230	900	6	240	yes	5531542050
A	3444390	230	900	6	230	no	5531542140
A	3444472	230	1700	6	220	no	5531545020
A	3444221	240	1000	6	175	no	5531532060
A	3444737	240	1430	6	177	yes	5531544050
A	3444035	240	2600	6	240	no	5531546020
A	3444738	240	2600	6	177	yes	5531549010
A	3444036	245	1200	6	160	no	5531559420
A	3444575	285	940	6	157	no	5531559020
A	3444707	320	1450	6	176	yes	5531554020
A	3444025	350	1200	6	160	no	5531569010
B	3444479	120	900	6	100	no	5532522861
B	3443072	130	1000	6	80	yes	5532522861
B	3444618	135	890	3	225	no	5532522814
B	3444644	135	900	6	89	no	5532522825
B	3444567	145	1750	3	180	yes	5532525060
B	3444471	150	900	3	230	no	5532522827
B	3444565	150	900	6	80	no	5532522853
B	3444770	150	900	6	80	no	5532522811
B	3444775	150	1100	3	185	no	5532529810
B	3444142	150	1500	6	90	yes	5532524030



Thermostats



Photo	LF Code	Temperature °C	Capillary Length mm	Bulb ø mm	Bulb Length mm	(Z) Stuffing gland	EGO Code No
B	3744046	156	1500	6	90	no	5532524802
B	3444424	160	900	6	90	no	5532532805
B	3444442	170	880	6	88	no	5532532824
B	3444556	170	900	6	87	no	5532532820
B	3444939	220	900	6	110	no	5533542040
B	3444959	220	1000	6	90	no	5532542010
B	3444079	220	2000	6	130	no	5532549060
B	3444375	225	900	6	90	yes	5532542835
B	3444307	230	900	6	100	yes	5532542857
B	3444625	230	900	6	79	no	5532542850
B	3444631	230	1700	6	80	no	5532549812
B	3444368	235	900	6	80	no	5532542842
B	3444204	235	1700	4	120	yes	5532545802
B	3444506	240	900	4	150	no	5532542230
B	3444143	240	1600	6	85	no	5532549827
B	3444972	240	2300	6	88	no	5532549050
B	3444439	245	900	6	80	no	5532549814
B	3443075	245	900	6	80	yes	5532549814
B	3444653	245	1750	4	120	no	5532545800
B	3444436	245	2700	6	90	no	5532549811
B	3444444	250	900	6	90	no	5532542859
B	3444706	255	730	3	307	no	5532559010
B	3444557	270	870	6	78	no	5532552814
B	3444317	270	2000	6	70	no	5532559814
B	3444776	280	900	4	125	no	5532552808
B	3444703	315	1500	6	80	yes	5532564010
B	3444592	340	1190	4	128	no	5532563010
B	3444354	350	1120	3	190	no	5532562808
B	3444356	350	1300	4	120	no	5532569814
B	3444704	350	1500	6	80	no	5532564040
B	3444370	350	3000	6	90	no	5532566806
B	3444632	350	3000	6	90	no	5532566808
B	3444306	360	900	4	120	no	5532562806
B	3444574	360	1200	6	79	no	5532573801
B	3444484	360	1300	4	120	no	5532563800
B	3444493	360	1500	4	120	no	5532574010
B	3444832	360	1500	4	170	no	5532574020
B	3444904	370	1500	6	77	no	5532574050
B	3444363	420	900	4	310	no	5532582804
C	3444315	135	1000	14	20	no	5532529812
D	3444318	160	850	6	70	no	5534122801
D	3444445	350	900	3	190	no	5534162800
E	3444769	132	900	6	80	yes	5532522843
E	3444925	140	900	6	80	no	5534122070
E	3444342	230	1200	6	75	yes	5532543803
E	3444600	325	900	3	185	no	5532562828
E	3444382	360	600	6	80	no	5532562822



Suitable for:

Suitable for:

3744011 SINGLE-PHASE THERMOSTAT 10-280°C

D-shaped pin \varnothing 6x4.6 mm
capillary length 1600 mm
bulb \varnothing 4x226 mm



CAPIC E401082

EGO 5519054201

3744045 SINGLE-PHASE THERMOSTAT 30-90°C

D-shaped pin \varnothing 6x4.6 mm
covered capillary length 900 mm
bulb \varnothing 6x130 mm
for Bain-marie (GICO) - Series 110 - Series 39
Series 500 - Series 64 - Series 700 - Series 900
Series 920
for Hot cupboard (GICO) - Series 370 - Series 96
for Potato heater (GICO) - Series 64 - Series 700
for Self service counter (GICO) - Series 39




DESCO EL0125

EGO 5519012805

GICO 53401003090

3444346 SINGLE-PHASE THERMOSTAT 30-90°C

D-shaped pin \varnothing 6x4.6 mm
covered capillary length 900 mm - 16A 250V
bulb \varnothing 6x130 mm - with stuffing gland fitting M9x1



EBERHARDT 213943

LOTUS 537001500

SILKO 0101403

EGO 5519012801

ROSINOX RX94805249

SILKO 10140

LOTUS 507001500

SILKO MA7800300

3444019 SINGLE-PHASE THERMOSTAT 30-90°C

D-shaped pin \varnothing 6x4.6 mm
capillary length 1000 mm - 16A 250V
bulb \varnothing 6x130 mm
for Bain-marie (ZANUSSI)



ALPENINOX 003262

ART SERF 34440001

ELECTROLUX 051920

MARENO MA7800300

SMEG 818731106

WHIRLPOOL 771985000321

ALPENINOX 051920

EGO 5519012800

FAGOR AS34440001

MARENO 7800300

WHIRLPOOL 103262

ZANUSSI 003262

ART SERF 3410030

ELECTROLUX 003262

FAGOR AS3410030

MBM 023168-00

WHIRLPOOL 151920

ZANUSSI 051920

3744069 SINGLE-PHASE THERMOSTAT 30-90°C

D-shaped pin \varnothing 6x4.6 mm
covered capillary length 2000 mm - 16A 250V
bulb \varnothing 6x130 mm
for Hot cupboard (OLIS) - Series 700



BARON BN6A046050

METOS 6A046050

OLIS 6A046050

BARON 6A046050

METOS BN6A046050

EGO 5519019822

OLIS BN6A046050

1444012 SINGLE-PHASE THERMOSTAT 30-95°C

D-shaped pin \varnothing 6x4.6 mm
capillary 850 mm - 16A 250V
bulb \varnothing 6x140 mm - adapter nipple bland M9x1



ANIMO 03090

EGO 5510212100

BONNET 1244788

EGO 5519212020

BONNET 905838



Suitable for:

Thermostats



3444510 SINGLE-PHASE THERMOSTAT 30-110°C

D-shaped pin \varnothing 6x4.6 mm
capillary 850 mm - 16A 250V
bulb \varnothing 6x138 mm - with adapter nipple bland M9x1



BONNET 24650	CB 09010015	EGO 5510022010
EGO 5510022910	EGO 5519022804	EGO 5519022819
LOTUS 537012200	MKN 203498	MODULAR 661.004.00
MORICE TH1081	UNOX	

3444489 SINGLE-PHASE THERMOSTAT 30-110°C

D-shaped pin \varnothing 6x4.6 mm
capillary length 1500 mm - 16A 250V
bulb \varnothing 6x125 mm



COLUSSI 054010660	EBERHARDT 213924	EGO 5519022809
EGO 5519224801	EMMEPI 828838	SILKO 0101383

3744010 SINGLE-PHASE THERMOSTAT 30-110°C

D-shaped pin \varnothing 6x4.6 mm
capillary length 1800 mm
bulb \varnothing 6x135 mm - with adapter nipple bland M9x1
for Bain-marie (THIRODE) - Series 700 - Series 900
for Boiling pan (THIRODE) - Series 700
Series 900



EGO 5519025201	THIRODE
----------------	---------

3744094 SINGLE-PHASE THERMOSTAT 30-150°C

D-shaped pin \varnothing 6x4.6 mm
covered capillary length 1600 mm
bulb \varnothing 3x145 mm
for Boiling pan (GIGA) - Series 700 - Series 900



BERTO'S 35301000	EGO 5519029806	GIGA E10600
METOS BN6A001414	OLIS BN6A001414	WHIRLPOOL 483286009432

3444344 SINGLE-PHASE THERMOSTAT 25-300°C

D-shaped pin \varnothing 6x4.6 mm
covered capillary length 1600 mm - 29A 250V
bulb \varnothing 4x103 mm
for Bratt pan (AMBACH) - Series 700 - Series 900



AMBACH 5061613760	AMBACH 5061618076	AMBACH 5061619760
AMBACH 5061633536	EGO 5513059280	

3444391 SINGLE-PHASE THERMOSTAT 45-170°C

D-shaped pin \varnothing 6x4.6 mm
covered capillary length 870 mm
bulb \varnothing 3x220 mm
for Hot cupboard (ZANUSSI)
for Warm table (ZANUSSI)



ALPENINOX 031480	EGO 5519032850	ELECTROLUX 031480
ZANUSSI 031480		



Suitable for:

3444627 SINGLE-PHASE THERMOSTAT 45-255°C

D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 900 mm
 bulb \varnothing 6x74 mm
 for Fry top (EMMEPI) - Series 650 - Series 700
 Series 750 - Series 900
 for Oven under cooktop (EMMEPI) - Series 650
 Series 700 - Series 750 - Series 900
 for Rotisserie (CB)



CB 09010014 EGO 5519252807 EMMEPI C00545

Suitable for:

3444774 SINGLE-PHASE THERMOSTAT 45-295°C

D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 900 mm - 16A 230V
 bulb \varnothing 4x95 mm



EBERHARDT 213919 EGO 5519052840 EGO 5519052843
 ROSINOX RX94812577 SILKO 0101377

3444388 SINGLE-PHASE THERMOSTAT 50-190°C

D-shaped pin \varnothing 6x4.6 mm
 capillary 600 mm - 16A 250V
 bulb \varnothing 6x75 mm
 for Fryer electric (BERTO'S) ELT10 - ELT4 - ELT8
 E9F18-8M



BERTO'S 33065600 BERTO'S 33065700 EGO 5519039822

3444642 SINGLE-PHASE THERMOSTAT 50-190°C

D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 850 mm
 bulb \varnothing 3x180 mm
 for Fryer (CF CENEDESE)



CF CENEDESE 63.7.0642 LOTUS 402502000 LOTUS _402502000

3744099 SINGLE-PHASE THERMOSTAT 50-270°C

D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 800 mm
 bulb \varnothing 3x230 mm
 for Oven under cooktop (MBM) - Series MINIMA



EGO 5519052846 MBM RTCU600186

3444043 SINGLE-PHASE THERMOSTAT 50-270°C

D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 1300 mm - 16A 250V
 bulb \varnothing 3x220 mm



ALPENINOX 029918 ALPENINOX 057937 ANGELO PO 3220610
 BERTO'S 23063300 BERTO'S 24063323 EBERHARDT 215377
 EGO 5519259811 EGO 5519059805 EGO 5519059808
 EMMEPI 808672 ERRE 2 63401005270 ERRE 2 53401005270
 GICO 63401005270 GICO 53401005270 GIGA 5010087
 GIGA R31400 GIGA R65070210 GIGA X43600
 MARENO 2709714 MARENO 2709700 MODULAR 661.073.00
 REPAGAS 1230017 WHIRLPOOL 157937 ZANUSSI 029918
 ZANUSSI 057937




Suitable for:

Thermostats



3444289 SINGLE-PHASE THERMOSTAT 50-270°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 3000 mm - 16A 250V
 bulb \varnothing 3x210 mm - with adapter nipple band M9x1



EGO 5519052832
 MODULAR RRC2190-00
 WHIRLPOOL 771985010201

EGO 5519256800
 WHIRLPOOL F50003

MARENO 2992900
 WHIRLPOOL 483286008211

3444176 SINGLE-PHASE THERMOSTAT 50-270°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 1300 mm - 16A 250V
 bulb \varnothing 4x120 mm
 for Bratt pan (ZANUSSI) - Series H900



ALPENINOX 051360
 WHIRLPOOL 771985002380

EGO 5519059803
 WHIRLPOOL 151360

ELECTROLUX 051360
 ZANUSSI 051360

3444648 SINGLE-PHASE THERMOSTAT 50-295°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 1300 mm
 bulb \varnothing 3x220 mm
 for Bratt pan (OLIS) - Series 900



BARON BN6A049200
 EGO 5519053807
 OLIS BN6A049200

BARON 6A049200
 METOS BN6A049200
 OLIS 6A049200

EGO 5513069150
 METOS 6A049200

3444174 SINGLE-PHASE THERMOSTAT 50-320°C
 D-shaped pin \varnothing 6x4.6 mm
 capillary length 900 mm - 16A 250V
 bulb \varnothing 3x220 mm



ALPENINOX 005421
 BOURGEOIS THER001
 EBERHARDT 249022
 EMMEPI 908326
 GIGA X68205
 MARENO 1037102300
 METOS 6A048800
 UNOX
 WHIRLPOOL 481227118051

BERTO'S 23063600
 CB 09010021
 EGO 5519062800
 FIMAR CO1941
 HOBART
 MBM RTCU700455
 REPAGAS 1270013
 WHIRLPOOL 481927128269

BONNET 7471032
 DIHR 9010
 ELETTRORAR 924024
 FORVED GRILLTERMOS
 MARENO MA1037102300
 METOS 9010
 TECNOINOX RC00569000
 WHIRLPOOL 483286000407

3444145 SINGLE-PHASE THERMOSTAT 50-310°C
 D-shaped pin \varnothing 6x4.6 mm
 capillary length 1600 mm - 16A 250V
 bulb \varnothing 4x120 mm
 for oven
 for Crêpe pan (FIMAR) CRP4 - CRP42
 for Crêpe pan electric (FIMAR) CRP - CRP2



ANGELO PO 3220210
 FIMAR CO1941

EGO 5519064010

EGO 5519064800

3444369 SINGLE-PHASE THERMOSTAT 50-320°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 900 mm - 16A 250V
 bulb \varnothing 3x220 mm
 for Bain-marie (GICO) 110 - Series 700
 Series 900 - Series 920
 for Bratt pan (GICO) - Series 700 - Series 900
 Series 920
 for Bratt pan (LOTUS) - Series 700
 for Bratt pan (MBM)
 for Fry top (LOTUS) - Series 600 - Series 650
 for Oven under cooktop (MBM)



CF CENESESE 63.7.0635
 EMMEPI 806188
 MBM RTCU700085

EGO 5519062806
 GICO 53401005320
 WHIRLPOOL 178160

EGO 5519062802
 LOTUS 537001600



Suitable for:

Suitable for:

3444893 SINGLE-PHASE THERMOSTAT 55-195°C
 D-shaped pin \varnothing 6x4.6 mm
 capillary length 1500 mm
 bulb \varnothing 4x90 mm
 for Fryer gas (ELFRAMO) GSDT12 - GSDT20 - GST12
 GST20 - GWDT12 - GWDT20 - GWM35T - GWT12
 GWT20



EGO 5519034060 EGO 5519034809 ELFRAMO 22140002
 KOMEL 22140002

3444701 SINGLE-PHASE THERMOSTAT 55-250°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 1170 mm - 16A 250V
 bulb \varnothing 3.1x226 mm - with stuffing gland M9x1



EGO 5510243010 EGO 5519243010 ELOMA 091634
 ELOMA 234007 ELOMA E0268 ELOMA E334007
 PALUX 091634 WHIRLPOOL 481227118027

3444643 SINGLE-PHASE THERMOSTAT 60-150°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 900 mm
 bulb \varnothing 3x219 mm
 for Boiling pan (SILKO) - Series 900
 for Pasta cooker (SILKO) - Series 900



COLUSSI R54010660 COLUSSI 54010670 EBERHARDT 214195
 EGO 5519022813 EMMEPI 809036 SILKO 0102492

3444397 SINGLE-PHASE THERMOSTAT 60-180°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 1200 mm - 16A 250V
 bulb \varnothing 6x135 mm
 for Fryer (MARENO)



EGO 5510033800 EGO 5519033010 MARENO MA1873500

3444387 SINGLE-PHASE THERMOSTAT 60-180°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary 3000 mm - 16A 250V
 bulb \varnothing 6x130 mm
 with adapter nipple band M9x1
 for Fryer electric (MARENO) FQE-41 - FQE-61



EGO 5510936801 EGO 5519036800 EGO 5519036801
 MARENO MA1981900 MARENO 1568600 MARENO 1981900




Thermostats



Suitable for:

3744068 SINGLE-PHASE THERMOSTAT 60-200°C

D-shaped pin \varnothing 6x4.6 mm
capillary length 900 mm
bulb \varnothing 6x80 mm - with adapter nipple band M9x1
with complete tank joint M12x1
for Fryer (MORICE)
for Fryer (SOLYMAC)



BONNET 2020062
MORICE FT4040

EGO 5510032020

EGO 5519032827

Suitable for:

3241637 BLACK KNOB \varnothing 50 mm 60°-200°C

D shaft hole 6x4.6 mm
for EGO thermostat



AMBASSADE 6527735
REPAGAS 57103027

CAPIC E401265
SOLYMAC P80A

EGO 524806
THIRODE 308066

3241870 RING NUT \varnothing 52 mm chrome plated metal for EGO thermostate knob



CAPIC E401313
EGO 6762105000
FRIMA
METOS
SOLYMAC P79A

DELRUE NEP1400
EGO 6762108
JEMI
MORICE

EGO 6762105
EGO 6762000020
LOWERATOR 105121
SILKO 0101211

3444070 SINGLE-PHASE THERMOSTAT 60-200°C

D-shaped pin \varnothing 6x4.6 mm
capillary length 1500 mm - 16A 250V
bulb \varnothing 6x80 mm
for Fryer (FOEMM)



EGO 5519232801
UNIVERSAL

EGO 5519234800

FOEMM 305000087150

3444586 SINGLE-PHASE THERMOSTAT 75-450°C

D-shaped pin \varnothing 6x4.6 mm
covered capillary length 900 mm - 16A 250V
bulb \varnothing 4x228 mm



CB 09010027
FB FABA PR13012

EGO 5519082805

EMMEPI 8C0363

3444423 SINGLE-PHASE THERMOSTAT 85-170°C

D-shaped pin \varnothing 6x4.6 mm
covered capillary length 900 mm - 16A 250V
bulb \varnothing 4x231 mm - with adapter nipple band M9x1
for Fryer (OLIS) - Series 900




BARTSCHER 020491
METOS 9000216

EGO 5519032808
OLIS 9000216

METOS BN9000216
OLIS BN9000216

3444623 SINGLE-PHASE THERMOSTAT 85-182°C

D-shaped pin \varnothing 6x4.6 mm
covered capillary length 900 mm
bulb \varnothing 6x135 mm - with stuffing gland fitting M9x1
for Fryer (BARON) - Series 600



BARON BN41826630372
BARON 826630370

BARON 41826630371
EGO 5519032070

BARON 41826630372



Suitable for:

3444900 SINGLE-PHASE THERMOSTAT 85-175°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 900 mm
 bulb \varnothing 6x130 mm - with adapter nipple band
 for Fryer electric (MORICE) FT4040



EGO 5510035201 EGO 5519035201 MORICE TH1112
 MORICE TH112

Suitable for:

3444380 SINGLE-PHASE THERMOSTAT 90-180°C
 D-shaped pin \varnothing 6x4.6 mm
 capillary length 900 mm - 16A 250V
 bulb \varnothing 6x135 mm - with adapter nipple band M9x1
 for Fryer (LOTUS) - Series 600 - Series 650
 Series 700 - Series 900
 for Fryer electric (ANGELO PO) 0M0FR1E - 1M0FR2E
 for Fryer electric (MARENO) FQE-4 - FQE-6
 FQE-6+6



ANGELO PO 32V4540 EGO 5519032813 LOTUS 53700600
 MARENO MA1037035800 MARENO 1037035800 WHIRLPOOL 481281719379

3444384 SINGLE-PHASE THERMOSTAT 90-180°C
 D shaft \varnothing 6x4.6 mm
 capillary length 900 mm - 16A 250V
 bulb \varnothing 4x95 mm
 for Fryer electric (ELFRAMO) EB12 - EB18 - EB6
 for Fryer electric (FRI FRI) FRITA+6 - FRITA+8
 FT10 - FT4 - FT4+4 - FT6 - FT8



EGO 5519039805 ELFRAMO 00033230 ELFRAMO 22140001
 FRI FRI 401364 FRI FRI 400625 KOMEL 22140001
 KOMEL 00033230 REPAGAS 8500014

3444438 SINGLE-PHASE THERMOSTAT 90-180°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 1300 mm - 0.5A 12V
 bulb \varnothing 4x230 mm
 for Bratt pan (ZANUSSI) - Series HD900
 for Fryer (ZANUSSI) - Series PR700



ALPENINOX 0G2351 ALPENINOX 002602 EGO 5510039802
 EGO 5519039010 ELECTROLUX 0G2351 ELECTROLUX 002602
 ZANUSSI 0G2351 ZANUSSI 002602

3444032 SINGLE-PHASE THERMOSTAT 90-185°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 1300 mm - 16A 250V
 bulb \varnothing 4x230 mm
 for Bratt pan (ZANUSSI) - Series H900
 for Fryer (ZANUSSI) - Series R700



ALPENINOX 050412 EGO 5519039800 EGO 5510039807
 ELECTROLUX 050412 WHIRLPOOL 150412 ZANUSSI 050412

3444784 SINGLE-PHASE THERMOSTAT 100-175°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 1470 mm - 16A 230V
 bulb \varnothing 6x130 mm



EGO 5519034800 TECNOINOX RC00038000



Thermostats



Suitable for:

3744008 SINGLE-PHASE THERMOSTAT 100-180°C

D-shaped pin \varnothing 6x4.6 mm
capillary length 900 mm
bulb \varnothing 6x130 mm - with adapter nipple bland M9x1
with complete tank joint M12x1
for Bain-marie (BONNET) - Series GRANDE CARTE
for Fryer (BONNET) - Series GRANDE CARTE
for Fryer (CAPIC) R10
for Fryer gas (CAPIC) AB20 - A20 - CA10 - CTI
CTIB - C10 - 2045 - 3085



BONNET 7471024

CAPIC E401075

EGO 5519032203

Suitable for:

3444482 SINGLE-PHASE THERMOSTAT 100-185°C

D-shaped pin \varnothing 6x4.6 mm
capillary length 1800 mm
bulb \varnothing 4x230 mm - with adapter nipple bland M9x1
for Fryer electric (AMBACH) EY/40M - FE/40M



AMBACH 5061610987

AMBACH 5061611125

AMBACH 5061633535

EGO 5519035802

3444652 SINGLE-PHASE THERMOSTAT 100-190°C

D-shaped pin \varnothing 6x4.6 mm
capillary length 870 mm
bulb \varnothing 4x235 mm
for Fryer (OLIS) - Series 700



BARON BN6A049100

BARON 6A049100

EBERHARDT 201165

EGO 5519032807

METOS 6A049100

METOS 9000525

METOS BN6A049100

OLIS BN6A049100

OLIS 6A049100

OLIS 9000525

3444111 SINGLE-PHASE THERMOSTAT 100-190°C

D-shaped pin \varnothing 6x4.6 mm
covered capillary length 900 mm - 16A 250V
bulb \varnothing 6x130 mm - with adapter nipple bland M9x1
for Fryer (MARENO)



EGO 5519032805

FIMAR C01111

MARENO 1450200

MARENO 1450900

MARENO 1450914

3444233 SINGLE-PHASE THERMOSTAT 100-190°C

D-shaped pin \varnothing 6x4.6 mm
covered capillary length 1750 mm - 16A 250V
bulb \varnothing 6x133 mm - with adapter nipple bland M9x1
for Fryer (GIGA) - Series 700 - Series 900



DESCO 60775

EGO 5519035800

GIGA X49400

GIGA X56800

GIGA Y16000

WHIRLPOOL 483286009345

3744096 SINGLE-PHASE THERMOSTAT 100-300°C

D-shaped pin \varnothing 6x4.6 mm
covered capillary length 900 mm - 16A 250V
bulb \varnothing 6x74 mm
for Bratt pan (EMMEPI) - Series 750 - Series 900
for Fry top (EMMEPI) - Series 650 - Series 700
Series 750 - Series 900



EGO 5519052802

EMMEPI C00563



Suitable for:

Suitable for:

3444568 SINGLE-PHASE THERMOSTAT 105-185°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 900 mm - 16A 230V
 bulb \varnothing 6x130 mm - with adapter nipple bland M10x1
 for Fryer (MBM) - Series MAGIS MAGISTRA

3744004 SINGLE-PHASE THERMOSTAT 150-200°C
 D-shaped pin \varnothing 6x4.6 mm
 capillary length 2000 mm
 bulb \varnothing 6x135 mm
 for Fryer (CHARVET) V00733 1/2 850GFR15



EGO 5102918250
 FIMAR CO1111
 MBM 161791

EGO 5519032831
 LOTUS 537014300
 MBM 166488


EGO 5519039815
 MBM RTCU700609

CHARVET 01996A

EGO 5519039201

3444000 SINGLE-PHASE THERMOSTAT 90-185°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary 900 mm - 16A 250V
 button bulb \varnothing 14x10 mm
 complete with screw and joint
 for Fryer gas (GIGA) - Series SKF

3444074 SINGLE-PHASE THERMOSTAT 45-265°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 2000 mm - 16A 250V
 bulb \varnothing 3x220 mm
 for Oven under cooktop (FOEMM)



EBERHARDT 214418
 EGO 5519032825
 SILKO 0109054

EGO 5519032810
 GIGA 0000X43300
 SILKO 101385

EGO 5519032814
 SILKO 0101385
 WHIRLPOOL 481227118049

EGO 5103998400

FOEMM 305150068450

3444376 SINGLE-PHASE THERMOSTAT 95-190°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 1010 mm - 16A 250V
 bulb \varnothing 6x100 mm - with adapter nipple band M10x1
 for Fryer (EMMEPI) - Series 650 - Series 700
 Series 750 - Series 900
 for Fryer electric (GIORIK) - Series FT - FTR3
 FTR5 - FTR6
 for Fryer electric (MBM) EF45 - EF90
 for Fryer electric (ZANUSSI) QFE300 - QFE600

3444913 SINGLE-PHASE THERMOSTAT 30-85°C
 D-shaped pin \varnothing 6x4.6 mm
 capillary length 900 mm
 bulb \varnothing 6x100 mm - with stuffing gland fitting M9x1
 for Oven under cooktop (THIRODE) - Series 700
 Series 900



ALPENINOX 058163
 BARON BN4185326010005
 EGO 5513039300
 EMMEPI 808935
 GIORIK 6010011
 ROSINOX RX94805371
 ZANUSSI 058163

BARON 4185326010005
 EBERHARDT 214259
 EGO 5102918253
 EMMEPI 806041
 MBM RTBF800163
 SILKO 0108014

BARON 85326010005
 EGO 5102918320
 ELECTROLUX 058163
 GIORIK 6010005
 OFFCAR 862115
 WHIRLPOOL 158163

EGO 5513012060

THIRODE 301048




Thermostats



Suitable for:

3444669 SINGLE-PHASE THERMOSTAT 30-90°C
D-shaped pin \varnothing 6x4.6 mm
covered capillary length 2450 mm - 16A 250V
bulb \varnothing 6x100 mm - with stuffing gland fitting M9x1



EGO 5513219440
ROLLER GRILL A06021

EGO 9755132397
WHIRLPOOL 480181700004

MKN 203173

Suitable for:

3444422 SINGLE-PHASE THERMOSTAT 30-110°C
D-shaped pin \varnothing 6x4.6 mm
capillary length 830 mm - 16A 250V
bulb \varnothing 6x113 mm



EGO 5513222010

UNIVERSAL

3444698 SINGLE-PHASE THERMOSTAT 30-110°C
D-shaped pin \varnothing 6x4.6 mm
capillary length 870 mm
bulb \varnothing 6x113 mm - with adapter nipple bland M9x1
for Oven under cooktop (AMBASSADE) 1051
for Pasta cooker (JEMI) - Series 700 - Series 900



AMBASSADE 6528195
FRANKE 10296913
SOLYMAC P76UL

EGO 5513022010
JEMI 998156
WHIRLPOOL 481227118031

EGO 5513022370
MKN 203490

3444746 SINGLE-PHASE THERMOSTAT 30-110°C
D-shaped pin \varnothing 6x4.6 mm
covered capillary length 3000 mm - 16A 230V
bulb \varnothing 3.1x197 mm



EGO 5513224060
WHIRLPOOL 195032

EGO 5513229030
WHIRLPOOL 771985005517

KÜPPERSBUSCH 174690

3444421 SINGLE-PHASE THERMOSTAT 30-115°C
D-shaped pin \varnothing 6x4.6 mm
capillary length 1750 mm - 16A 250V
bulb \varnothing 4x120 mm



EGO 5513025040

HUPFER


3444980 SINGLE-PHASE THERMOSTAT 30-120°C
D-shaped pin \varnothing 6x4.6 mm
capillary length 870 mm
bulb \varnothing 6x100 mm - with adapter nipple bland M9x1
with complete tank joint M12x1
for Boiling pan (CAPIC)



CAPIC E401077

EGO 5513022310

3444743 SINGLE-PHASE THERMOSTAT 30-125°C
D-shaped pin \varnothing 6x4.6 mm
covered capillary length 2200 mm - 16A 230V
bulb \varnothing 3.1x160 mm



EGO 5513229050

KÜPPERSBUSCH

3444569 SINGLE-PHASE THERMOSTAT 50-120°C
D-shaped pin \varnothing 6x4.6 mm
covered capillary length 3000 mm
bulb \varnothing 6x85 mm



EGO 5513026050


MOBILE CONTAINING 957050



Suitable for:

3444659 SINGLE-PHASE THERMOSTAT 50-175°C

D-shaped pin \varnothing 6x4.6 mm
covered capillary length 680 mm
bulb \varnothing 4x155 mm
for Fryer electric (FRI FRI) D4




EGO 5513039070

FRI FRI 400374

Suitable for:

3444663 SINGLE-PHASE THERMOSTAT 50-195°C

D-shaped pin \varnothing 6x4.6 mm
covered capillary length 2300 mm
bulb \varnothing 4x160 mm
for Fryer electric (FRANKE) FFS95
for Fryer electric (FRI FRI) FFS95



EGO 5513039110

FRANKE 400541

FRI FRI 400541

3444699 SINGLE-PHASE THERMOSTAT 50-195°C

D-shaped pin \varnothing 6x4.6 mm
capillary length 870 mm
bulb \varnothing 6x75 mm - with stuffing gland M9x1
for Fryer (JEMI) - Series 1000 - Series 1300
Series 600 - Series 700 - Series 750 - Series 900



EGO 5513032430

EGO 5513032550

JEMI 2006001

JEMI 2006005

3444633 SINGLE-PHASE THERMOSTAT 50-205°C

D-shaped pin \varnothing 6x4.6 mm
capillary length 870 mm
bulb \varnothing 6x77 mm
for fryer 7-8-10 L
for Fryer (REPAGAS)



DOSILET 400007015

MOVILFRIT 907110

EGO 5513042310

REPAGAS 57103017

EGO 5513042001

3444258 SINGLE-PHASE THERMOSTAT 50-215°C

D-shaped pin \varnothing 6x4.6 mm
covered capillary length 850 mm - 16A 250V
bulb \varnothing 3x200 mm - with adapter nipple band M9x1
for Fryer (FAGOR) - Series 700 - Series 900




EGO 5513042290

FAGOR X163010000

3444647 SINGLE-PHASE THERMOSTAT 50-215°C

D-shaped pin \varnothing 6x4.6 mm
covered capillary length 2300 mm
bulb \varnothing 6x78 mm
for Fryer electric (FAGOR) FE-18 - FE-25 - FE-4
FE-6



EGO 5513039120

FAGOR X033000000

3444973 SINGLE-PHASE THERMOSTAT 50-250°C

D-shaped pin \varnothing 6x4.6 mm
covered capillary length 1100 mm
bulb \varnothing 3.1x205 mm



EGO 5513043060

MORICE TH0111

3444747 SINGLE-PHASE THERMOSTAT 50-250°C

D-shaped pin \varnothing 6x4.6 mm
capillary length 1150 mm - 16A 230V
bulb \varnothing 3.1x197 mm



CAPIC E401078

KÜPPERSBUSCH 174664

CAPIC E401088

SOLYMAC P79UL

EGO 5513043010

WHIRLPOOL 481227118033




Thermostats



Suitable for:

3444414 SINGLE-PHASE THERMOSTAT 50-250°C
D-shaped pin \varnothing 6x4.6 mm
covered capillary length 1430 mm - 16A 230V
bulb \varnothing 3x160 mm - with adapter nipple band M9x1



BARTLETT 3925-233

EGO 5513244010

JUNO-RÖDER-SENKING 232908

Suitable for:

3444361 SINGLE-PHASE THERMOSTAT 50-320°C
D-shaped pin \varnothing 6x4.6 mm
capillary 950 mm - 16A 250V
bulb \varnothing 3x160 mm
for Crêpe pan (KRAMPOUZ) RK400
for Crêpe pan electric (KRAMPOUZ) CEBIA4A0
for Hot plate electric (REPAGAS) E60 - E64 - E80
E84



COMETTO 50014

EGO 5513069500

JEMI 2006061

LOTUS 537006100

REPAGAS 32403007

ROLLER GRILL A06044

WHIRLPOOL 481927128391

CORSAIR 01-056

EURAST 2221

KRAMPOUZ SF0041

MKN 203500

ROLLER GRILL A06020

ROLLER GRILL A06006

EGO 5513062040

INNOVA

KRAMPOUZ AE0001

REPAGAS 4100014

ROLLER GRILL A06022

VISCOUNT 926171-01

3444697 SINGLE-PHASE THERMOSTAT 50-320°C
D-shaped pin \varnothing 6x4.6 mm
capillary length 2300 mm
bulb \varnothing 3x160 mm
for Oven under cooktop (JEMI) - Series 550
Series 600 - Series 700 - Series 750 - Series 900



EGO 5513069020

JEMI 998164

3444675 SINGLE-PHASE THERMOSTAT 50-320°C
D-shaped pin \varnothing 6x4.6 mm
capillary length 3150 mm - 16A 250V
bulb \varnothing 3.1x160 mm



EGO 5513069450


MKN 203500

EGO 5513069540

WHIRLPOOL 480181700003

EGO 9755130784

3744104 SINGLE-PHASE THERMOSTAT 97-190°C
D-shaped pin \varnothing 6x4.6 mm
covered capillary length 1500 mm - 16A 250V
bulb \varnothing 6x90 mm - with stuff.gland coupling M9x1
with complete tank sealing coupling M12x1



EGO 5513034120

MKN 203067

MKN 203662



Suitable for:

3444938 SINGLE-PHASE THERMOSTAT 100-175°C

D-shaped pin \varnothing 6x4.6 mm
covered capillary length 900 mm
bulb \varnothing 6x100 mm
for Fryer (AMBASSADE)



AMBASSADE 6528980

EGO 5513032370

Suitable for:

3241637 BLACK KNOB \varnothing 50 mm 60°-200°C

D shaft hole 6x4.6 mm
for EGO thermostat




AMBASSADE 6527735
REPAGAS 57103027

CAPIC E401265
SOLYMAC P80A

EGO 524806
THIRODE 308066

3444523 SINGLE-PHASE THERMOSTAT 35-85°C

D-shaped pin \varnothing 6x4.6 mm
covered capillary length 2000 mm
bulb \varnothing 6x115 mm
for Food-service trolley (BLANCO) - Series SGE




BLANCO 105678
EGO 5518019130

BLANCO 105889
LOWERATOR 105678

EGO 5514024020

3444526 SINGLE-PHASE THERMOSTAT 50-95°C

D-shaped pin \varnothing 6x4.6 mm
capillary length 1450 mm
bulb \varnothing 6x110 mm
for Food-service trolley (BLANCO) - Series TTWF




BLANCO 359583

EGO 5518014020

3444524 SINGLE-PHASE THERMOSTAT 50-116°C

D-shaped pin \varnothing 6x4.6 mm
capillary length 1750 mm
bulb \varnothing 6x110 mm
for Food-service trolley (BLANCO) - Series SGE
Series SWE




BLANCO 105883

EGO 5518025010

3444766 SINGLE-PHASE THERMOSTAT 50-190°C

D-shaped pin \varnothing 6x4.6 mm
capillary length 400 mm - 16A 230V
bulb \varnothing 6x120 mm



BARTSCHER A010502

EGO 5518031010

3444257 SINGLE-PHASE THERMOSTAT 50-324°C

D-shaped pin \varnothing 6x4.6 mm
covered capillary length 850 mm - 16A 250V
bulb \varnothing 3x160 mm
for Bratt pan (FAGOR) - Series 700 - Series 900
for Fry top electric (FAGOR) FTE-710 - FTE-910
for Kitchen electric (FAGOR) CE-740 - CE-741
CE-941
for Kitchen gas (FAGOR) CGE-741
for Oven under cooktop electric (FAGOR) CE-940
for Fry top (FAGOR) FTE705



EGO 5513063160

EGO 5518062170

FAGOR X153000000

2111771 SINGLE-PHASE THERMOSTAT 130-190°C

D-shaped pin 6x4.6 mm
capillary length 870 mm - 16A 250V
bulb \varnothing 6x117 mm



CORSAIR 42-045
MOFFAT 2832
VISCOUNT 924605-01

EGO 5518032020
MOORWOOD VULCAN 924605-01

LINCAT TH69
PARRY TMST18032




Suitable for:

Thermostats



3444018 SINGLE-PHASE THERMOSTAT 30-90°C
 complete with auxiliary selector switch
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 1000 mm - 16A 250V
 bulb \varnothing 6x175 mm
 for Bain-marie electric (ZANUSSI) - Series HD900
 Series N700 - Series N900 - Series PR700
 Series R701
 for Hot cupboard electric (ZANUSSI)



ALPENINOX 051142
 EGO 5519719800
 GIGA X5780011
 WHIRLPOOL 771986009193

BARON 826630230
 EGO 5519619030
 WHIRLPOOL 481227118052
 WHIRLPOOL 151142

BARON BN826630230
 ELECTROLUX 051142
 WHIRLPOOL 48326009193
 ZANUSSI 051142

3444477 SINGLE-PHASE THERMOSTAT 50-260°C
 with auxiliary switch
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 1270 mm - 16A 250V
 bulb \varnothing 4x120 mm
 for Bratt pan (ZANUSSI) - Series HD900
 Series N700 - Series N900 - Series PR700




ALPENINOX 002109
 ELECTROLUX 002109
 ZANUSSI 002109

EGO 5519659010
 WHIRLPOOL 771985000025

EGO 5510659800
 WHIRLPOOL 102109

3444885 SINGLE-PHASE THERMOSTAT 53-180°C
 with switch
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 1100 mm - 16A 400V
 bulb \varnothing 6x140 mm




EGO 5510633800
 MARENO 1037317300

EGO 5519639020

MARENO MA1037317300

3444031 SINGLE-PHASE THERMOSTAT 90-185°C
 complete with auxiliary selector switch
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 2500 mm - 16A 250V
 bulb \varnothing 4x230 mm
 for Fryer (ZANUSSI) - Series HD900 - Series N700
 Series N900 - Series PR700



ALPENINOX 003049
 ATA K24048
 ELECTROLUX 003049
 WHIRLPOOL 152300
 ZANUSSI 003049

ALPENINOX 052300
 EGO 5519639800
 ELECTROLUX 052300
 WHIRLPOOL 152330
 ZANUSSI 052300

ALPENINOX 052330
 EGO 5510639800
 ELECTROLUX 052330
 WHIRLPOOL 771985000300
 ZANUSSI 052330

3444137 SINGLE-PHASE THERMOSTAT 20-120°C
 complete with auxiliary selector switch
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 900 mm - 16A 250V
 button bulb \varnothing 14x9 mm
 for Bain-marie (ANGELO PO) - Series SENIOR
 Series SUMMIT




ANGELO PO 3223290
 EGO 5519022030

EGO PO58691705

EGO 5510922800

3444062 SINGLE-PHASE THERMOSTAT 50-320°C
 complete with auxiliary selector switch
 D-shaped pin \varnothing 6x4.6 mm
 capillary length 900 mm - 16A 250V
 bulb \varnothing 3x220 mm
 for Fry top (MBM)
 for Oven under cooktop (MBM)



BONNET 7471032
 MBM

EGO TT52011060

EGO 5519962809



Suitable for:

Suitable for:

3444550 SINGLE-PHASE THERMOSTAT 50-320°C

complete with switch
D-shaped pin \varnothing 6x4.6 mm
covered capillary length 900 mm
bulb \varnothing 3x225 mm



AMBACH 5061602948
EGO 5534062802

AMBACH 5061618075
EGO 5519062845

AMBACH 5061633537

3444358 SINGLE-PHASE THERMOSTAT 105-185°C

complete with selector switch
D-shaped pin \varnothing 6x4.6 mm
covered capillary length 900 mm - 16A 250V
bulb \varnothing 6x135 mm - with adapter nipple bland M10x1
for Fryer (ANGELO PO) - Series ALPHA
Series DELTA - Series GAMMA



ANGELO PO 32V0240
EGO 5519032831+...

ANGELO PO 6300752
EGO 5519932802

EGO PO98311705

3444313 SINGLE-PHASE THERMOSTAT 30-120°C

with switch
D-shaped pin \varnothing 6x4.6 mm
covered capillary length 890 mm - 16A 250V
bulb \varnothing 6x115 mm
for Bain-marie (ANGELO PO) - Series ALPHA
Series BIFRONTÉ - Series DELTA - Series GAMMA
Series OMEGA




ANGELO PO 32Z9270
EGO 5513622160

ANGELO PO 32Z9271
EGO 9755136234

EGO 5141918050

3444674 SINGLE-PHASE THERMOSTAT 30-90°C

complete with switch
D-shaped pin \varnothing 6x4.6 mm
covered capillary length 2400 mm - 16A 250V
bulb \varnothing 6x100 mm - with adapter nipple bland M9x1




EGO 5513619210

EGO 9755136155

3444473 SINGLE-PHASE THERMOSTAT 30-110°C

with auxiliary selector switch
D-shaped pin \varnothing 6x4.6 mm
capillary length 870 mm - 16A 400V
bulb \varnothing 4x125 mm




EGO 5510621010

EGO 5513622100

3444664 SINGLE-PHASE THERMOSTAT 30-110°C

complete with switch
D-shaped pin \varnothing 6x4.6 mm
capillary length 1470 mm - 16A 250V
bulb \varnothing 6x113 mm - with adapter nipple bland M9x1
with complete tank joint M12x1




BLANCO 105127

EGO 5513624060

LOWERATOR 105127

3444672 SINGLE-PHASE THERMOSTAT 30-110°C

complete with switch
D-shaped pin \varnothing 6x4.6 mm
covered capillary length 2400 mm - 16A 230V
bulb \varnothing 6x110 mm - with adapter nipple bland M9x1




BLANCO 105127
KÜPPERSBUSCH 355693

EGO 5513629050
WHIRLPOOL 481227118044

EGO 9755136157

3444668 SINGLE-PHASE THERMOSTAT 50-320°C

complete with switch
D-shaped pin \varnothing 6x4.6 mm
capillary length 3100 mm - 16A 230V
bulb \varnothing 3.1x160 mm



EGO 5513669010
JUNO-RÖDER-SENKING

EGO 5513669050
KÜPPERSBUSCH 174677

EGO 9755136154
LOHBERGER



Suitable for:

Thermostats



3444492 SINGLE-PHASE THERMOSTAT 90-185°C

complete with switch
D-shaped pin \varnothing 6x4.6 mm
capillary length 2410 mm - 16A 230V
bulb \varnothing 6x130 mm



EGO 5510639010

EGO 5513639010

Suitable for:

3444666 SINGLE-PHASE THERMOSTAT 100-185°C

complete with switch
D-shaped pin \varnothing 6x4.6 mm
covered capillary length 2400 mm - 16A 230V
bulb \varnothing 6x90 mm - with adapter nipple bland M9x1
with complete tank joint M12x1




EGO 5513639030

EGO 9755136156

3444494 SINGLE-PHASE THERMOSTAT 130-400°C

complete with switch
D-shaped pin \varnothing 6x4.6 mm
covered capillary length 800 mm
bulb \varnothing 4x165 mm




EGO 5513672020

EGO 6404010010

3444665 SINGLE-PHASE THERMOSTAT 140-195°C

complete with switch
D-shaped pin \varnothing 6x4.6 mm
covered capillary length 880 mm - 16A 250V
bulb \varnothing 6x77 mm - with adapter nipple bland M9x1



EGO 5513632030

MKN 203481

3444004 THERMOSTAT TR2 0-90°C

D-shaped pin \varnothing 6x4.6 mm
capillary 1500 mm - 15A 250V
bulb \varnothing 6.5x95 mm



ANGELO PO 3228840

ATA 1080

CAMPEONA 13/29

CF CENEDESE 63.7.0658

ELETTROBAR 929044

KOMEL

REPAGAS 25304008

THIRODE 901017

ARISTARCO 359

BARTSCHER 0929044

CAMURRI 050B0231+...

CF CENEDESE 63.7.0655

ELFRAMO

MBM 929044

SAMMIC 2309068

ATA 7280

BONNET

CAMURRI 050B0231

DEXION

FORVED VETRETERMOS

MODULAR 461.003.00

SICOMEX 03205

3444005 THERMOSTAT TR2 0-120°C

D-shaped pin \varnothing 6x4.6 mm
capillary 1500 mm - 15A 250V
bulb \varnothing 6.5x95 mm



BERTO'S 22062400

COCINAS SALA R2821

METALCARRELLI R0090

BERTO'S 24064000

GIGA X43100

CAMURRI 050B0230

METALCARRELLI 003201820001

3444347 THERMOSTAT TR2 0-195°C

D-shaped pin \varnothing 6x4.6 mm
capillary length 1000 mm - 15A 250V
bulb \varnothing 5x120 mm
for Fryer electric (SICOMEX) LT3 - LT8



EGO 5510022828

SICOMEX 03064

3444006 THERMOSTAT TR2 0-210°C

D-shaped pin \varnothing 6x4.6 mm
capillary length 1000 mm - 15A 250V
bulb \varnothing 5x140 mm
for Fryer electric (ELETTROBAR) ME40



ELETTROBAR

SILANOS TR0441

WHIRLPOOL 483286003376



Suitable for:

Suitable for:

3444335 THERMOSTAT TR2 0-250°C
 D-shaped pin \varnothing 6x4.6 mm
 capillary length 940 mm - 15A 250V
 bulb \varnothing 3x190 mm
 for Hot plate electric (ELETTOBAR)



ARISTARCO 1628

ELETTOBAR 921014

3444007 THERMOSTAT TR2 0-300°C
 D-shaped pin \varnothing 6x4.6 mm
 capillary length 1500 mm - 15A 250V
 bulb \varnothing 3.5x190 mm



ALPENINOX 054323

GAYC 12411020

SICOMEX 03486

WHIRLPOOL 154323

ELECTROLUX 054323

KLAXON

VEMA XRPV3

ZANUSSI 054323

GAYC 12410300

SICOMEX 03226

WHIRLPOOL 771985002937

3444169 SINGLE-PHASE THERMOSTAT 220°C
 with manual reset
 complete with wiring
 capillary length 1500 mm - 15A 250V
 bulb \varnothing 5x125 mm
 for Fryer gas (ELFRAMO) FG125 - FG157 - FG159
 FG307 - FG309 - GBD10 - GB10 - GMD2532
 GMD2542 - GM2532 - GM2542 - GWD12 - GWD12ELT
 GWD20 - GWD20ELT - GW12 - GW12ELT - GW20
 GW20ELT



ELFRAMO 22170001

REPAGAS 9400037

KOMEL 22170001

REPAGAS 09500064

3444348 SINGLE-PHASE THERMOSTAT 235°C
 with manual reset
 capillary length 1000 mm - 15A 250V
 bulb \varnothing 5x100 mm
 for Fryer (STAR 10) F4 - F4+4 - F6+6
 for Fryer electric (STAR 10) LT3 - LT8
 for Fryer electric (ZANUSSI) HFR/E1680 - HFR/E2480
 for Fryer gas (ZANUSSI) HFR/G1680 - HFR/G2480



ALPENINOX 053012

SICOMEX 03292

ZANUSSI 053012

ELECTROLUX 053012

WHIRLPOOL 771985002615

SICOMEX 09004

WHIRLPOOL 153012

3444352 SINGLE-PHASE THERMOSTAT 130°C
 with manual reset
 covered capillary length 870 mm - 16A 250V
 bulb \varnothing 6x129 mm
 for Bain-marie (BERTO'S) BM55E - BM70E



ALPENINOX 004912

EGO 5519522020

EMMEPI 808671

TECNOINOX 7803

ZANUSSI 004912

BERTO'S 25070000

EGO 5510522802

REPAGAS 1440003

TECNOINOX RC00007803

EGO 5510522830

ELECTROLUX 004912

TECNOINOX RC00427000

TECNOINOX RC0042700

3444564 SINGLE-PHASE THERMOSTAT 140°C
 with manual reset
 capillary length 870 mm - 16A 250V
 bulb \varnothing 3.1x226 mm
 for Boiling pan (MBM) - Series DOMINA
 Series MAGIS MAGISTRA - Series MAGISTRA



EGO 5510522808

MBM RTPC800067

EGO 5519522030

EMMEPI 807791



Suitable for:

Thermostats



3444772 SINGLE-PHASE THERMOSTAT 140°C
 with manual reset
 covered capillary length 900 mm - 16A 230V
 bulb \varnothing 6x130 mm



BARON BN826630240
 EGO 5510522803

BARON 826630240
 EGO 5519522010

EBERHARDT 213934
 SILKO 0101394

3444485 SINGLE-PHASE THERMOSTAT 150°C
 with manual reset
 capillary length 900 mm
 bulb \varnothing 3x220 mm
 for Boiling pan (AMBACH) - Series KE - Series KS



AMBACH 5061600808
 EGO 5519522080

AMBACH 5061633533

EGO 5510522819

3444649 SINGLE-PHASE THERMOSTAT 200°C
 with manual reset
 covered capillary length 870 mm
 bulb \varnothing 6x133 mm
 for Fryer (OLIS) - Series 900



EBERHARDT 202403
 METOS 9000217
 OLIS 9000217

EGO 5510542808
 METOS BN9000217

EGO 5519532010
 OLIS BN9000217

3444064 SINGLE-PHASE THERMOSTAT 220°C
 with manual reset
 capillary length 790 mm - 16A 250V
 bulb \varnothing 3x178 mm
 for Fryer (OM GAS)




EGO 5510549811

EGO 5519549040

OM GAS 0816520109

3444107 SINGLE-PHASE THERMOSTAT 220°C
 with manual reset
 capillary length 870 mm - 16A 250V
 bulb \varnothing 6x142 mm - with adapter nipple bland M9x1
 for Boiling pan (MARENO)
 for Boiling pan (MBM)
 for Boiling pan (OLIS)
 for Fryer (GIORIK)
 for Fryer (MARENO)
 for Fryer (MBM)
 for Fryer (OLIS)



BARON BN6A049401
 EGO 5510542814
 GIORIK 6010020
 MBM RTBF900094
 OLIS BN6A049401

BARON 6A049401
 EGO 5510542830
 MARENO 6010020
 METOS BN6A049401
 OLIS 6A049401

EBERHARDT 202806
 EGO 5519542010
 MARENO 732913
 METOS 6A049401

3444026 SINGLE-PHASE THERMOSTAT 220°C
 with manual reset
 capillary length 900 mm - 16A 250V
 bulb \varnothing 6x80 mm
 for Bratt pan (ZANUSSI)



ALPENINOX 057347
 EGO 5510542831
 WHIRLPOOL 157347

BOURGEOIS THER3016
 ELECTROLUX 057347
 ZANUSSI 057347

EGO 5519542200
 SOLYMAC P78




Suitable for:

Suitable for:

3444080 SINGLE-PHASE THERMOSTAT 220°C

with manual reset
covered capillary length 2020 mm - 16A 250V
bulb \varnothing 6x133 mm
for Boiling pan (ZANUSSI)
for Bratt pan (ZANUSSI)
for Fryer (ZANUSSI)



ALPENINOX 0A2011
ELECTROLUX 0A2011
WHIRLPOOL 202011

EGO 5519549020
MODULAR 661.021.00
ZANUSSI 0A2011

EGO 5510549829
WHIRLPOOL 771985005734

3444629 SINGLE-PHASE THERMOSTAT 220°C

with manual reset
covered capillary length 2000 mm
bulb \varnothing 6x87 mm
for Fryer (GICO) - Series 500 - Series 700
Series 900 - Series 920




EGO 5510549800

EGO 5519549030

GICO 53400112220

3444199 SINGLE-PHASE THERMOSTAT 230°C

with manual reset
complete with wiring
covered capillary length 850 mm - 16A 230V
bulb \varnothing 4x120 mm - with adapter nipple bland M9x1
for Boiling pan (GICO) - Series 700 - Series 900
Series 920
for Fryer (GICO) - Series 500 - Series 700
Series 900 - Series 920
for Pasta cooker (GICO) - Series 500 - Series 700
Series 900 - Series 920



EGO 5510542807

EGO 5519542140

GICO 5340011200

3444071 SINGLE-PHASE THERMOSTAT 230°C

with manual reset
capillary length 870 mm - 16A 250V
bulb \varnothing 6x77 mm
for Fryer (FOEMM)
for Fryer (OLIS)



EGO 5510542805
METOS 9000516

EGO 5519542130
OLIS 9000516

FOEMM 305750107250

3444239 SINGLE-PHASE THERMOSTAT 240°C

with manual reset
covered capillary length 860 mm - 16A 250V
bulb \varnothing 6x77 mm - with stuffing gland M10x1
complete with wiring 330mm for thermocouple
for Fryer (EMMEPI) - Series 650 - Series 700
Series 750 - Series 900
for Fryer (OFFCAR) - Series 700 - Series 900
for Fryer gas (GIORIK) - Series FRG



ALPENINOX 058164
EGO 5610542560
EMMEPI 051E10002
OFFCAR 862133
ZANUSSI 058164

BARON 4185322001046
ELECTROLUX 058164
GIORIK 2001046
ROSINOX RX94805702

EBERHARDT 214274
EMMEPI 808181
GIORIK 2011140
SILKO 0108038

3444690 SINGLE-PHASE THERMOSTAT 230°C

with manual reset
complete with wiring
covered capillary length 1480 mm
bulb \varnothing 4x125 mm
for Fryer gas (ELFRAMO) GW20
for Fryer gas (KOMEL) KGW20
for Fryer gas (REPAGAS) FG125 - FG157 - FG159
FG307 - FG309



BARON 41R1221430
KOMEL 22170003

EGO 5519549050
REPAGAS 09500064

ELFRAMO 22170003




Suitable for:

Thermostats



3444367 SINGLE-PHASE THERMOSTAT 235°C
 with manual reset
 covered capillary length 870 mm - 16A 250V
 bulb ø 6x133 mm
 for Fryer electric (LOTUS) FEM-2/6 - FEM-6
 FQ-4EM - FQ-6EM - FQ-61EM - FQ-62EM
 F2/25-98ET - F25-94ET



EGO 5510542842

EGO 5519542090

LOTUS 537001300

3444624 SINGLE-PHASE THERMOSTAT 235°C
 with manual reset
 covered capillary length 870 mm
 bulb ø 6x133 mm
 for Fryer (BARON) - Series 600



BARON BN41826630390

BARON 826630390

EGO 5519542080

OLIS BN9000515

BARON BN9000515

BARON 9000515

METOS 9000515

OLIS 9000515

BARON 41826630390

BERTO'S 32070300

METOS BN9000515

3744065 SINGLE-PHASE THERMOSTAT 240°C
 with manual reset
 double bulb
 covered capillary length 2000 mm
 bulb ø 6x135 mm
 for Fryer (WHIRLPOOL) - Series 900
 for Fryer (ZANUSSI) - Series HD900



ALPENINOX 059559

ELECTROLUX 059559

EGO 5519549010

WHIRLPOOL 159559

EGO 5510549801

ZANUSSI 059559

3444124 PROTECTION CAP
 for security thermostat



ALPENINOX 0A2187

ELECTROLUX 0A2187

ZANUSSI 0A2187

EGO 525020

ELETTROBAR 410006

EGO 0000525020

UNOX

3444372 SINGLE-PHASE THERMOSTAT 245°C
 with manual reset
 covered capillary length 1170 mm - 16A 250V
 bulb ø 6x133 mm
 for Fryer (GIGA) - Series 600 - Series 700
 Series 800
 for Fryer electric (GIGA) SKF2E
 for Fryer electric (WHIRLPOOL) AGB433 - AGB435
 AGB437 - AGB439 - AGB441 - AGB443 - AGB447
 AGB514 - AGB515 - AGB516 - AGB521 - AGB522
 AGB523 - AGB524 - AGB525
 for Fryer gas (WHIRLPOOL) AGB513
 for Fryer gas (LOTUS) FQ62GF



BERTO'S 22069400

EGO 5510545800

GIGA Y16300

ROSINOX RX94804986

WHIRLPOOL 483286000173

EBERHARDT 214420

EGO 5519543010

LOTUS 537010000

SILKO 0109056

EGO 5510543802

GIGA X49500

MODULAR 661.021.00

WHIRLPOOL 483286009348

3444687 SINGLE-PHASE THERMOSTAT 300°C
 with manual reset
 covered capillary length 900 mm
 bulb ø 6x74 mm
 for Fry top (EMMEPI) - Series 650 - Series 700
 Series 750 - Series 900
 for Oven under cooktop (EMMEPI) - Series 650
 Series 700 - Series 750 - Series 900



EGO 5510552806

EGO 5519552020

EMMEPI C00546



Suitable for:

Suitable for:

3444120 SINGLE-PHASE THERMOSTAT 320°C
with manual reset
capillary length 900 mm - 16A 250V
bulb ø 6x80 mm



BARON BN6A049500
EGO 5519562020
METOS BN6A049500
OLIS 6A049500

BARON 6A049500
ERRE 2 6340004032001
METOS 6A049500
SILKO 0101387

EGO 5510562830
GICO 6340004032001
OLIS BN6A049500

3444686 SINGLE-PHASE THERMOSTAT 350°C
with manual reset
covered capillary length 900 mm
bulb ø 6x80 mm
for Fry top (EMMEPI) - Series 650 - Series 700
Series 750 - Series 900



EGO 5519562090

EMMEPI C00564

3444209 SINGLE-PHASE THERMOSTAT 355°C
with manual reset
covered capillary length 880 mm - 16A 250V
bulb ø 4x124 mm
for Boiling pan (GIGA) - Series 900
for Bratt pan (GIGA) - Series 900
for Fry top (GIGA) - Series 900



EGO 5510572800
WHIRLPOOL 483286009238

EGO 5519572010

GIGA Y16500

3444278 SINGLE-PHASE THERMOSTAT 360°C
with manual reset
covered capillary length 890 mm - 16A 230V
bulb ø 3x200 mm
for Bratt pan (MBM) - Series DOMINA
Series MAGISTRA - Series OMNIA



EGO 5510572803
MBM RTBF800076

EGO 5519572020

EMMEPI 813961

3444312 SINGLE-PHASE THERMOSTAT 360°C
with manual reset
covered capillary 1500 mm - 3 contacts 16A 250V
bulb ø 4x110 mm
for Fry top gas (ANGELO PO) - Series ALPHA
Series BIFRONTI - Series DELTA - Series GAMMA
Series JUNIOR - Series OMEGA - Series SENIOR
Series SUMMIT
for Oven under cooktop (SILKO)



ALPENINOX 003594
ANGELO PO 32Z1400
EGO 5532574800
EGO 5134955030
ELECTROLUX 003594
ROSINOX RX94812622
WHIRLPOOL 103594
WHIRLPOOL 771985002807
ZANUSSI 003594

ALPENINOX 053980
ATA K24041
EGO 5532574801
EGO 5532562835
ELECTROLUX 053980
ROSINOX RX94800158
WHIRLPOOL 153980
ZANUSSI 053980

ALPENINOX 057442
EBERHARDT 245787
EGO 5534955030
EGO 5532572801
ELECTROLUX 057442
SILKO 0101372
WHIRLPOOL 771985000360
ZANUSSI 057442

3444138 SINGLE-PHASE THERMOSTAT 230°C
with manual reset
covered capillary length 850 mm - 16A 250V
button bulb ø 14x10 mm
for Fryer (ANGELO PO) - Series JUNIOR
Series SENIOR



ANGELO PO 31Z7990
ANGELO PO 32Z7990
EGO 5510542828
GICO 5340101230

ANGELO PO 32Z2990
ANGELO PO 32Z8000
EGO 5519542050
SILKO 0101386

ANGELO PO 32Z3340
EGO 5510542815
EGO 5519542190



Suitable for:

Thermostats



3444238 SINGLE-PHASE THERMOSTAT 230°C
 with manual reset
 covered capillary length 850 mm - 15A 250V
 button bulb \varnothing 14x26 mm
 for Fryer (GIGA) - Series 600 - Series 700
 Series 900



EDESA K001B31270
 FAGOR K001B31270
 GIGA 0000X43400

EGO 5510542850
 GIGA X43400
 WHIRLPOOL 483286000478

EGO 5519542030
 GIGA X49400

3444637 SINGLE-PHASE THERMOSTAT 234°C
 with manual reset
 capillary length 870 mm
 bulb \varnothing 11x18 mm - bulb connection M14x1
 for Fryer (MODULAR) - Series 700 - Series 900



EGO 5519542170

MODULAR 661.034.00

3444266 SINGLE-PHASE THERMOSTAT 338°C
 with manual reset
 covered capillary length 830 mm - 16A 250V
 button bulb \varnothing 14x10 mm
 for Rotisserie (CB)



ALPENINOX 002730
 EGO 5510562903
 ELECTROLUX 002730

ANGELO PO 3226790
 EGO 5532562816
 WHIRLPOOL 102730

CB 09010019
 EGO 5510562816
 ZANUSSI 002730

3444545 SINGLE-PHASE THERMOSTAT 140°C
 with automatic reset
 covered capillary length 900 mm - 16A 230V
 bulb \varnothing 4x158 mm
 for Boiling pan (AMBACH) - Series KSK



AMBACH 5061609772
 METOS CR0682740

AMBACH 5061633534
 OLIS CR0682740

EGO 5519322801

3444319 SINGLE-PHASE THERMOSTAT 150°C
 covered capillary length 900 mm - 16A 250V
 bulb \varnothing 6x70 mm
 for Bain-marie electric (ANGELO PO) - Series ALPHA
 Series BIFRONTI - Series DELTA - Series OMEGA



ANGELO PO 3229380

EGO 5519122803

3444350 SINGLE-PHASE THERMOSTAT 150°C
 with automatic reset
 covered capillary length 1000 mm - 0.5A 12V
 bulb \varnothing 6x86 mm
 for Boiling pan (AMBACH) - Series 900




AMBACH 5061603920

EGO 5519129010

EGO 5510129827

3444558 SINGLE-PHASE THERMOSTAT 238°C
 with automatic reset
 covered capillary length 1250 mm
 bulb \varnothing 6x74 mm
 for Boiling pan (ZANUSSI) - Series HD900



ALPENINOX 006709
 ELECTROLUX 006709

EGO 5519143010
 ZANUSSI 006709

EGO 5510143800

3444389 SINGLE-PHASE THERMOSTAT 230°C
 with manual reset
 capillary 600 mm - 16A 250V
 bulb \varnothing 6x83 mm
 for Fryer electric (ELFRAMO) EB12 - EB12+12 - EB18
 EB6 - EB6+6



EGO 5514549804
 ELFRAMO 32213001
 KOMEL 00032270

ELFRAMO 00032270
 KOMEL 22130001
 REPAGAS 8500016

ELFRAMO 22130001
 KOMEL 32213001
 SICOMEX 9004



Suitable for:

Suitable for:

3444377 SINGLE-PHASE THERMOSTAT 240°C
 with manual reset
 covered capillary length 1300 mm - 16A 250V
 bulb \varnothing 6x80 mm - with adapter nipple bland M10x1
 for Fryer electric (GIORIK) - Series FT - FTR3
 FTR5 - FTR6




ALPENINOX 003121
 EMMEPI 813430
 WHIRLPOOL 103121

EGO 5514549826
 GIORIK 6010018
 ZANUSSI 003121

ELECTROLUX 003121
 GIORIK 6010006

3444736 SINGLE-PHASE THERMOSTAT 130°C
 with manual reset
 capillary length 850 mm - 16A 230V
 bulb \varnothing 6x130 mm



EGO 5513522090

MKN 203480

3444782 SINGLE-PHASE THERMOSTAT 132°C
 with manual reset
 capillary length 850 mm - 16A 230V
 bulb \varnothing 3.1x250 mm - with adapter nipple bland M9x1



ANIMO 03093

EGO 5513522020

EGO 5513522400

3444899 SINGLE-PHASE THERMOSTAT 135°C
 manual reset
 capillary length 1500 mm
 bulb \varnothing 6x80 mm
 for Bain-marie (BONNET)
 for Boiling pan (BONNET)



BONNET 303641

BONNET 904843

EGO 5513524070

3444763 SINGLE-PHASE THERMOSTAT 140°C
 manual reset
 covered capillary 1550 mm - 16A 230V
 bulb \varnothing 6x77 mm - 16A 230V



EGO 5513529170

JEMI 2006062

3444670 SINGLE-PHASE THERMOSTAT 190°C
 with manual reset
 capillary length 350 mm - 16A 250V
 bulb \varnothing 3.1x178 mm - with adapter nipple bland M9x1



ALPENINOX 0H6142

JUNO-RÖDER-SENKING 213151

EGO 5513531010

WHIRLPOOL 256142

ELECTROLUX 0H6142

ZANUSSI 0H6142


3444908 SINGLE-PHASE THERMOSTAT 210°C
 with manual reset
 capillary length 900 mm
 bulb \varnothing 6x80 mm - with adapter nipple bland M9x1
 for Fryer (THIRODE)



EGO 5513532020

THIRODE 301027

3444903 SINGLE-PHASE THERMOSTAT 220°C
 with manual reset
 capillary length 900 mm
 bulb \varnothing 6x80 mm - with stuffing gland fitting M9x1
 for Fryer (MORICE)
 for Fryer (BONNET)



BONNET 2020060

EGO 5513542200

MORICE TH1120



Suitable for:

Thermostats



3444922 SINGLE-PHASE THERMOSTAT 225°C

with manual reset
capillary length 900 mm
bulb \varnothing 6x90 mm
for Fryer (CAPIC)



CAPIC E401007

EGO 5513542140

Suitable for:

3444696 SINGLE-PHASE THERMOSTAT 230°C

with manual reset
with knob and nut
capillary length 850 mm
bulb \varnothing 6x80 mm - with adapter nipple bland M9x1
for Fryer (JEMI) - Series 600 - Series 700
Series 900




EGO 5513542270

JEMI 2006008

3444789 SINGLE-PHASE THERMOSTAT 230°C


with manual reset
capillary length 1050 mm
bulb \varnothing 6x96 mm - with adapter nipple bland M9x1
with complete tank joint M12x1



EGO 5513549030

3444259 SINGLE-PHASE THERMOSTAT 245°C

with manual reset
covered capillary length 850 mm - 16A 250V
bulb \varnothing 3x200 mm - with stiffing gland fitting M9x1
for Fryer (FAGOR) - Series 900
for Fryer gas (FAGOR) FG-710 - FG-720
for Fryer electric (FAGOR) FE9-05



EGO 5513542250

EGO 5513542280

FAGOR X163001000

3444646 SINGLE-PHASE THERMOSTAT 245°C

with manual reset
capillary length 870 mm
button bulb \varnothing 14x10 mm
for Fryer electric (FAGOR) FE-710 - FE-920
for Fryer gas (FAGOR) FG-710 - FG-940



EGO 5513542110

FAGOR X012130000

FAGOR X012120000

3444732 SINGLE-PHASE THERMOSTAT 246°C

with manual reset
capillary length 900 mm - 16A 230V
bulb \varnothing 6x80 mm - with adapter nipple bland M9x1
for Fryer (MKN)



EGO 5513542100

MKN 203492

3444656 SINGLE-PHASE THERMOSTAT 285°C

with manual reset
covered capillary length 730 mm
bulb \varnothing 4x112 mm
for Fryer electric (FRI FRI) FRITA+6 - FRITA+8



EGO 5513559010

FRI FRI 400676

3444673 SINGLE-PHASE THERMOSTAT 330°C

with manual reset
capillary length 900 mm - 16A 250V
bulb \varnothing 3.1x140 mm




EGO 5513562060

JUNO-RÖDER-SENKING 215673



Suitable for:

3444689 SINGLE-PHASE THERMOSTAT 340°C
 with manual reset
 covered capillary length 870 mm
 bulb \varnothing 3x160 mm
 for Fry top gas (REPAGAS) FT71 - FT72 - FT92




EGO 5513562170

REPAGAS 60600044

REPAGAS 20400023

Suitable for:


3444831 SINGLE-PHASE THERMOSTAT 360°C
 with manual reset
 capillary length 900 mm
 bulb \varnothing 3x145 mm



EGO 5513562900

LINCOLN 357067

3444256 SINGLE-PHASE THERMOSTAT 420°C
 with manual reset
 covered capillary length 1100 mm - 16A 250V
 bulb \varnothing 4x230 mm
 for Bratt pan (FAGOR) - Series 700 - Series 900
 for Bratt pan (JEMI) - Series 900
 for Fry top (FAGOR) - Series 900
 for Fry top electric (FAGOR) FTE-705 - FTE-710
 FTE-905 - FTE-910



EGO 5513583010

FAGOR R612103000

JEMI 578163


3444539 SINGLE-PHASE THERMOSTAT 80°C
 covered capillary length 1500 mm
 bulb \varnothing 6x90 mm
 for Food-service trolley (RIEBER) - Series STW
 Series ZUB



EGO 5513114020

RIEBER 33061505

3744061 SINGLE-PHASE THERMOSTAT 125°C
 with manual reset
 capillary length 900 mm - 16A 250V
 bulb \varnothing 3x150 mm



ALPENINOX 0K0673

EGO 5513322020

ELECTROLUX 0K0673

JUNO-RÖDER-SENKING 215691

ZANUSSI 0K0673

3444929 SINGLE-PHASE THERMOSTAT 140°C
 with manual reset
 capillary length 900 mm
 bulb \varnothing 6x90 mm
 for Bain-marie (THIRODE)
 for Boiling pan (THIRODE)
 for Fryer electric (THIRODE) FR18 - FR25




BONNET 301054

EGO 5513122110

THIRODE 301054

3444357 THREE-PHASE THERMOSTAT 30-150°C
 complete with selector switch
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 1100 mm - 10A 400V
 bulb \varnothing 6x120 mm
 for Bain-marie electric (ANGELO PO) - Series ALPHA
 Series DELTA



ANGELO PO 32V0060

EGO 5534923801

3444359 SINGLE-PHASE THERMOSTAT 60-320°C
 complete with selector switch
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 1400 mm - 4 contacts 16A 250V
 bulb \varnothing 4x123 mm
 for Bratt pan (ANGELO PO) - Series ALPHA
 Series DELTA



ANGELO PO 32V0660

EGO 5534964800

ANGELO PO 32V0661

EGO 5534064805+COMM.




Suitable for:

Thermostats



3444311 THREE-PHASE THERMOSTAT 100-260°C
 complete with selector switch
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 1100 mm - 10A 400V
 bulb \varnothing 6x70 mm
 for Fry top (ANGELO PO) - Series ALPHA
 Series DELTA - Series GAMMA - Series JUNIOR
 Series OMEGA - Series SENIOR - Series SUMMIT



ANGELO PO 32Z7400 EGO 5534959801

3444146 THREE-PHASE THERMOSTAT 100-300°C
 complete with selector switch
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 1250 mm - 10A 400V
 bulb \varnothing 6x78 mm
 for Fry top (ANGELO PO) - Series JUNIOR




ANGELO PO 32Z3790 EGO PO38064130 EGO 4941015300+
EGO 5534059806+ EGO 5534959800

3444148 THREE-PHASE THERMOSTAT 50-300°C
 complete with selector switch
 D-shaped pin \varnothing 6x4.6 mm
 capillary length 850 mm - 10A 400V
 bulb \varnothing 6x78 mm
 for Oven under cooktop (ANGELO PO)



ANGELO PO 32W0030 EGO 5534052010

3444147 THREE-PHASE THERMOSTAT 50-320°C
 complete with selector switch
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 1400 mm - 10A 400V
 bulb \varnothing 3x220 mm
 for Oven under cooktop (ANGELO PO) - Series GAMMA
 Series JUNIOR




ANGELO PO 32Z3550 ANGELO PO 32Z3551 EGO 4923815792
EGO 5534063816 EGO 5534963817

3444749 THREE-PHASE THERMOSTAT 50-300°C
 complete with switch
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 1500 mm - 16A 230V
 bulb \varnothing 6x80 mm



BAUMEISTER EGO 5540654010

3444748 THREE-PHASE THERMOSTAT 60-180°C
 complete with switch
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 1800 mm - 16A 230V
 bulb \varnothing 6x133 mm - with adapter nipple bland M9x1



BAUMEISTER EGO 5534635010

3444702 THREE-PHASE THERMOSTAT 100-180°C
 complete with switch
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 720 mm - 16A 230V
 bulb \varnothing 3.1x305 mm



EGO 5534639010 PALUX 26611 PALUX 026611

3444468 THREE-PHASE THERMOSTAT 30-85°C
 D-shaped pin \varnothing 6x4.6 mm
 capillary length 1500 mm
 bulb \varnothing 6x138 mm - with adapter nipple band M9x1



EGO 5534014150



Suitable for:

Suitable for:

3444812 THREE-PHASE THERMOSTAT 30-90°C

D-shaped pin \varnothing 6x4.6 mm
covered capillary length 870 mm - 16A 380V
bulb \varnothing 6x129 mm
for Bain-marie (DESCO) BME72
for Bain-marie (MBM) - Series DOMINA
Series MAGIS MAGISTRA



BARON BN6A046250
MBM 160561

BARON 6A046250

EGO 5534012800

3744064 THREE-PHASE THERMOSTAT 30°-90°C

D-shaped pin \varnothing 6x4.6 mm
capillary length 900 mm
bulb \varnothing 6x130 mm



CAPIC E401011

EGO 5534012160

EGO 5534012030

WHIRLPOOL 481227118056

3444364 THREE-PHASE THERMOSTAT 30-90°C

D-shaped pin \varnothing 6x4.6 mm
covered capillary length 900 mm - 10A 400V
bulb \varnothing 6x135 mm - with adapter nipple band M10x1
for Bain-marie (DESCO)
for Bain-marie electric (LOTUS) BM-10EMX - BM-4EMX
BM-6EMX - BM-62ET - BM-8EMX - BS-4EMX
for Bain-marie electric (MARENO) B7-4E - B7-8E
B9-4E - B9-8E



DESCO 60781

EBERHARDT 217725

EGO 5534012806

ALPENINOX 052000

ALPENINOX 057237

ANGELO PO 3220130

EGO 5534012859

EGO 5534212030

LOTUS 537000800

DESCO 864169

EGO 6301018190

EGO 5534012801

MARENO MA1037035015

MARENO 1037035015

EGO 5534019805

ELECTROLUX 052000

ELECTROLUX 057237

FOEMM 305000036450

FOEMM 305000087250

FOEMM 05000087250

MARENO MA1230200

MARENO 1230200

SILKO 0101406

WHIRLPOOL 157237


WHIRLPOOL 152000

ZANUSSI 057237

ZANUSSI 052000

3444088 THREE-PHASE THERMOSTAT 30-110°C

D-shaped pin \varnothing 6x4.6 mm
covered capillary length 900 mm - 10A 400V
bulb \varnothing 6x130 mm
with adapter nipple band M9x1
for Bain-marie (ZANUSSI)



ALPENINOX 004911

BONNET 7492058

BONNET 301003

ALPENINOX 0A2237

ALPENINOX 0H6220

ALPENINOX 0H6228

CAPIC E401015

CHARVET 1995A

COMETTO 50011

ALPENINOX 025468

ALPENINOX 032858

EGO 6341010010

DELRUE NTT11C

EGO 5534022802

ELECTROLUX 004911

EGO 5534022010

EGO 5534023815

EGO 5534024801

GICO 00400

GICO 53403003090

GICO 53403003110

EGO 6301010010

EGO 6301058080

EMMEPI 808058

MORICE TH1084

ROSINOX

SOLYMAC P76

JUNO-RÖDER-SENKING 214839

JUNO-RÖDER-SENKING 214908

JUNO-RÖDER-SENKING 214948

TECNOINOX RC00274000

THIRODE 901007

WHIRLPOOL 481227118058

LOTUS 537012300

MODULAR 661.005.00

PALUX 290319

ZANUSSI 004911

REPAGAS 22405003

TECNOINOX RC00274000

WHIRLPOOL 125468

ZANUSSI 0A2237

ZANUSSI 0H6220

ZANUSSI 0H6228

ZANUSSI 025468



Suitable for:

Thermostats



3444711 THREE-PHASE THERMOSTAT 30-110°C
 D-shaped pin \varnothing 6x4.6 mm
 capillary length 1500 mm - 10A 400V
 bulb \varnothing 6x130 mm
 for Bain-marie



EGO 5534024805

Suitable for:

3444190 THREE-PHASE THERMOSTAT 30-110°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 3000 mm - 10A 400V
 bulb \varnothing 6x135 mm - with adapter nipple band M9x1
 with complete tank joint M12x1
 for Bain-marie (MARENO)
 for Bain-marie (SILKO)



EGO 5534226040
MARENO 264000

EGO 6301058080
MKN 203486

JUNO-RÖDER-SENKING 214846
SILKO 108112

3444713 THREE-PHASE THERMOSTAT 40-320°C
 D-shaped pin \varnothing 6x4.6 mm
 capillary length 900 mm - 16A 380V
 bulb \varnothing 3x219 mm



BARON 6A038400
METOS 6A038400

EGO 5534062801
OLIS 6A038400

EGO 6303010010
SIABS 2314204

3444620 THREE-PHASE THERMOSTAT 45-120°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 870 mm - 16A 380V
 bulb \varnothing 6x140 mm
 for Pasta cooker electric (GIORIK) - Series 700
 Series 900



BARON 85326010016
GIORIK 6010016

EBERHARDT 214316
ROSINOX RX94805421

EGO 5534222807
SILKO 0108112

3444630 THREE-PHASE THERMOSTAT 50-270°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 900 mm - 16A 250V
 bulb \varnothing 3x220 mm
 for Fry top (GICO) - Series 110 - Series 500
 Series 700 - Series 900 - Series 920
 for Oven under cooktop (GICO) - Series 110
 Series 900 - Series 920



EGO 5534052831

GICO 53403050390

3444894 THREE-PHASE THERMOSTAT 50-275°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 900 mm - 16A 380V
 bulb \varnothing 3x220 mm
 for Fry top electric (OLIS) - Series 700
 Series 900
 for Oven under cooktop electric (OLIS)
 Series 700 - Series 900



BARON BN6A044601
METOS 6A044601
OLIS 6A044601

BARON 6A044601
METOS BN6A044601

EGO 5534052809
OLIS BN6A044601



Suitable for:

3444790 THREE-PHASE THERMOSTAT 50-320°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 800 mm - 10A 400V
 bulb \varnothing 4x120 mm
 for Fry top (OFFCAR) - Series 700 - Series 900
 for Oven under cooktop (OFFCAR) - Series 700
 Series 900



EGO 5534062819

GIORIK 5910028

OFFCAR 843735

Suitable for:

3444349 THREE-PHASE THERMOSTAT 50-300°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 860 mm - 10A 400V
 bulb \varnothing 4x240 mm
 for Fry top (AMBACH) - Series ECOLINE



AMBACH 5061607675

AMBACH 5061618784

EGO 5534062826

3444469 THREE-PHASE THERMOSTAT 50-300°C
 D-shaped pin \varnothing 6x4.6 mm
 capillary length 880 mm
 bulb \varnothing 3x226 mm



EGO 5534052150

3444504 THREE-PHASE THERMOSTAT 50-300°C
 D-shaped pin \varnothing 6x4.6 mm
 capillary length 880 mm - 10A 400V
 bulb \varnothing 4x128 mm
 for Hot plate (PALUX)



EGO 5534052020

PALUX 224081

3444694 THREE-PHASE THERMOSTAT 50-300°C
 D-shaped pin \varnothing 6x4.6 mm
 capillary length 880 mm
 bulb \varnothing 6x77 mm
 for Fry top electric (REPAGAS) E-35 - E-65 - E-95



BONNET 310824
 EGO 5534052010
 ROSINOX

BOURGEOIS THER007
 MORICE TH1086
 SOLYMAC P79

CAPIC E401060
 REPAGAS 32104009

3444619 THREE-PHASE THERMOSTAT 50-300°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 900 mm - 10A 400V
 bulb \varnothing 3x219 mm
 for Fry top (MBM) - Series DOMINA
 Series MAGIS MAGISTRA - Series MINIMA



EGO 5534052812

MBM RTCU600067




Suitable for:

Thermostats



3444251 THREE-PHASE THERMOSTAT 50-300°C


D-shaped pin \varnothing 6x4.6 mm
covered capillary length 1100 mm - 10A 400V
bulb \varnothing 3x220 mm
for Fry top (TECNOINOX) - Series 700
for Fry top (ZANUSSI) - Series HD900 - Series N900
for Oven under cooktop (MBM) - Series DOMINA
Series MAGIS MAGISTRA
for Oven under cooktop (TECNOINOX) - Series 700
for Oven under cooktop (ZANUSSI) - Series HD900
Series N700 - Series N900



- | | | |
|----------------------|-------------------|------------------------|
| ALPENINOX 004917 | ALPENINOX 059235 | BARON 826630161 |
| BARON BN826630123 | BARON 826630123 | EGO 5534059801 |
| EGO 5534059802 | EGO 5534052807 | EGO 5534052817 |
| ELECTROLUX 004917 | ELECTROLUX 059235 | MARENO 1037100600 |
| MBM RTBF600067 | MBM 164332 | TECNOINOX RC0028500 |
| TECNOINOX RC00285000 | WHIRLPOOL 159235 | WHIRLPOOL 771985003710 |
| ZANUSSI 004917 | ZANUSSI 059235 | |

3444435 THREE-PHASE THERMOSTAT 50-300°C

D-shaped pin \varnothing 6x4.6 mm
covered capillary length 1150 mm - 16A 380V
bulb \varnothing 2.5x330 mm
for Fry top (ZANUSSI) - Series H900



- | | | |
|------------------|----------------|-------------------|
| ALPENINOX 055996 | EGO 5534059824 | ELECTROLUX 055996 |
| ZANUSSI 055996 | | |

3444505 THREE-PHASE THERMOSTAT 50-300°C

D-shaped pin \varnothing 6x4.6 mm
capillary length 1440 mm - 10A 400V
bulb \varnothing 4x292 mm
for Hot plate (THERMA)



- | | | |
|---------------|----------------|--------|
| CAPIC E401066 | EGO 5534054060 | THERMA |
|---------------|----------------|--------|

3444561 THREE-PHASE THERMOSTAT 50-300°C

D-shaped pin \varnothing 6x4.6 mm
covered capillary length 1740 mm - 16A 230V
bulb \varnothing 6x80 mm



- | | | |
|------------------------|---------------------------|----------------|
| ALPENINOX 0H6217 | BONNET 301005 | EGO 5534055020 |
| ELECTROLUX 0H6217 | JUNO-RÖDER-SENKING 214806 | THIRODE 301005 |
| WHIRLPOOL 771985002462 | WHIRLPOOL 152099 | ZANUSSI 0H6217 |

3444168 THREE-PHASE THERMOSTAT 50-310°C

D-shaped pin \varnothing 6x4.6 mm
covered capillary length 900 mm - 10A 400V
bulb \varnothing 4x220 mm
for Fry top (MBM) - Series CLASSICA



- | | | |
|----------------|---------------|----------------|
| EGO 5540062030 | EMMEPI 806189 | MBM RTCU900257 |
|----------------|---------------|----------------|

3444052 THREE-PHASE THERMOSTAT 50-320°C

D-shaped pin \varnothing 6x4.6 mm
capillary length 900 mm - 10A 400V
bulb \varnothing 3x230 mm
for Grill electric (ZANUSSI) MG/E1 - MG/E2 - RG/E1
RG/E2



- | | | |
|------------------|--------------------|--------------------|
| ALPENINOX 0A2206 | ALPENINOX 0A2236 | ATA K24015 |
| BARON 6A044900 | EBERHARDT 213925 | EBERHARDT 222042 |
| EGO 5534052819 | EGO 5534062807 | ERRE 2 53403050300 |
| ERRE 2 00402 | ERRE 2 270200341 | FOEMM 05000087350 |
| GICO 53403050300 | GICO 00402 | GICO 270200341 |
| LOTUS 537013500 | MARENO MA1309115 | MARENO 1037035200 |
| MARENO 1309100 | MARENO 1309115 | MARENO 1732000 |
| METOS 6A044900 | MODULAR 661.027.00 | ROSINOX RX94805645 |
| WHIRLPOOL 202206 | | |



Suitable for:

3444103 THREE-PHASE THERMOSTAT 50-320°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 900 mm - 10A 400V
 bulb \varnothing 3x220 mm
 for Fry top electric (OLIS) 40SEFT - Series 700
 78FTE - 78FTE12R
 for Oven under cooktop electric (OLIS) 741CE
 749CGVFE - 94CGE - 941CEE - 961CEEE



BARON BN6A044600 BARON 6A044600 EGO 5534062800
 LOTUS 537000900 METOS 6A044600 METOS BN6A044600
 OLIS BN6A044600 OLIS 6A044600

Suitable for:

3444778 THREE-PHASE THERMOSTAT 55-240°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 900 mm - 16A 230V
 bulb \varnothing 4x95 mm



EGO 5534042805 SILKO 0101424

3444033 THREE-PHASE THERMOSTAT 60-165°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 900 mm - 10A 400V
 bulb \varnothing 8x115 mm
 with adapter nipple bland M14x1
 for Fryer (ZANUSSI)



ALPENINOX 026860 EGO 5534039811 ELECTROLUX 026860
 WHIRLPOOL 126860 ZANUSSI 026860

3444559 THREE-PHASE THERMOSTAT 60-185°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 1200 mm - 16A 250V
 bulb \varnothing 4x229 mm
 for Fryer (ZANUSSI) - Series N700



ALPENINOX 005940 EGO 5534033801 ELECTROLUX 005940
 ZANUSSI 005940

3444102 THREE-PHASE THERMOSTAT 60-200°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 900 mm - 10A 400V
 bulb \varnothing 6x80 mm
 for Fryer (EGD)



EGO 5534032030 EGO 5534032210

3444503 THREE-PHASE THERMOSTAT 60-200°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 900 mm - 10A 400V
 bulb \varnothing 6x80 mm - with adapter nipple bland M9x1
 for Fryer (FRI FRI)



EGO 5534032160 FRI FRI 09580111

3444044 THREE-PHASE THERMOSTAT 60-260°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 1300 mm - 10A 400V
 bulb \varnothing 4x130 mm
 for Bratt pan (ZANUSSI)



ALPENINOX 051362 EGO 5534059805 ELECTROLUX 051362
 WHIRLPOOL 771985002382 WHIRLPOOL 151362 ZANUSSI 051362

3444038 THREE-PHASE THERMOSTAT 60-320°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 1300 mm - 10A 400V
 bulb \varnothing 4x130 mm
 for Oven under cooktop (ZANUSSI) - Series H900
 for Pot stove (ZANUSSI) - Series H900
 Series R701



ALPENINOX 052099 EGO 5534069804 ELECTROLUX 052099
 ZANUSSI 052099



Suitable for:

Thermostats



3444425 THREE-PHASE THERMOSTAT 65-125°C

D-shaped pin \varnothing 6x4.6 mm
covered capillary length 900 mm - 10A 400V
bulb \varnothing 6x70 mm
for Pasta cooker electric (OLIS) - Series 1100
Series 900



BARON BN6A044650
METOS 6A044650
OLIS 6A044650

BARON 6A044650
METOS BN6A044650

EGO 5534022813
OLIS BN6A044650

3444594 THREE-PHASE THERMOSTAT 65-200°C

D-shaped pin \varnothing 6x4.6 mm
capillary length 880 mm
bulb \varnothing 6x77 mm - with adapter nipple bland M9x1
with complete tank joint M12x1
for Fryer electric (ROLLER GRILL) RF12DSP - RF12SP
RF8DSP - RF8SP




BONNET 2020061
MORICE TH1079
SOLYMAC P77A

CAPIC E401045
ROLLER GRILL A06005
THIRODE 301004

EGO 5534032060
ROSINOX RX24845588
WHIRLPOOL 481227118059

3444371 THREE-PHASE THERMOSTAT 70-195°C

D-shaped pin \varnothing 6x4.6 mm
covered capillary length 1500 mm - 10A 400V
bulb \varnothing 6x135 mm
for Fryer (GIGA) - Series 600 - Series 700
Series 800 - Series 900
for Fryer electric (GIGA) SKF2E
for Fryer electric (WHIRLPOOL) AGB515 - AGB516
AGB521 - AGB523 - AGB597 - AGB598



BERTO'S 22062900
EGO 5534034845
MKN 203497
WHIRLPOOL 483286000171

EBERHARDT 214419
EGO 5534035010
ROSINOX RX94804978

EGO 5534034050
GIGA X43800
SILKO 0109055

3444779 THREE-PHASE THERMOSTAT 75-295°C

D-shaped pin \varnothing 6x4.6 mm
covered capillary length 900 mm - 16A 230V
bulb \varnothing 4x92 mm



EBERHARDT 252338
SILKO 0101373

EGO 5534052811

ROSINOX RX94812621

3444366 THREE-PHASE THERMOSTAT 90-180°C

D-shaped pin \varnothing 6x4.6 mm
covered capillary length 900 mm - 10A 400V
bulb \varnothing 6x135 mm - with adapter nipple bland M10x1



ANGELO PO 3220400
EGO 5534032863
EGO 6302918220
GIORIK 6010004
MARENO 893000

EGO 5534032814
EGO 6301918220
EMMEPI 807603
LOTUS 537000700
MARENO MA893000

EGO 5534032858
EGO 6302018190
FOEMM 05050033650
MARENO 1037101400

3444420 THREE-PHASE THERMOSTAT 90-185°C

D-shaped pin \varnothing 6x4.6 mm
capillary length 1600 mm - 16A 250V
bulb \varnothing 3x240 mm



EGO 5534034210



Suitable for:

Suitable for:

3744007 THREE-PHASE THERMOSTAT 90-195°C

D-shaped pin \varnothing 6x4.6 mm
capillary length 900 mm - 10A 400v
bulb \varnothing 6x135 mm



EGO 5534032090
OLIS BN6A046600

METOS 6A046600
OLIS 6A046600

METOS BN6A046600

3744098 THREE-PHASE THERMOSTAT 95-180°C

D-shaped pin \varnothing 6x4.6 mm
covered capillary length 1800 mm
bulb \varnothing 6x130 mm - with adapter nipple bland M10x1



EGO 5534035130

3444166 THREE-PHASE THERMOSTAT 95-180°C

D-shaped pin \varnothing 6x4.6 mm
covered capillary length 1800 mm - 10A 400V
bulb \varnothing 6x135 mm - with adapter nipple bland M9x1
with complete tank joint M12x1
for Fryer (ZANUSSI)



ALPENINOX 0H6233
EGO 5534032813
GICO 6010004
SICOMEX 03112
ZANUSSI 0H6233

AMBACH 5061608750
EGO 5534035080
JUNO-RÖDER-SENKING 215076
SICOMEX 03383

EGO 5534035800
ELECTROLUX 0H6233
MKN 200496
WHIRLPOOL 481227118061

3744055 THREE-PHASE THERMOSTAT 95-185°C

D-shaped pin \varnothing 6x4.6 mm
covered capillary length 1480 mm - 16A 400V
bulb \varnothing 6x120 mm
for Fryer (PALUX)



EGO 5534034010

EGO 5534034805

PALUX 178144

3444745 THREE-PHASE THERMOSTAT 95-185°C

D-shaped pin \varnothing 6x4.6 mm
covered capillary length 2420 mm - 16A 230V
bulb \varnothing 6x133 mm - with adapter nipple bland M9x1



EGO 5534039020

MKN 203487

3444491 THREE-PHASE THERMOSTAT 95-220°C

D-shaped pin \varnothing 6x4.6 mm
covered capillary length 1480 mm - 16A 400V
bulb \varnothing 6x120 mm - with adapter nipple bland M9x1
with complete tank joint M12x1



EGO 5534044020

MKN 203499

3444570 THREE-PHASE THERMOSTAT 95-230°C

D-shaped pin \varnothing 6x4.6 mm
covered capillary length 1250 mm
bulb \varnothing 4x128 mm
for frytop N700
for Fry top (ZANUSSI) - Series N700
for Grill (ZANUSSI) - Series N900



ALPENINOX 0C7528
ELECTROLUX 0C7528
ZANUSSI 0C7528

ALPENINOX 002402
ELECTROLUX 002402
ZANUSSI 002402

EGO 5534043800
MARENO CR0686120

3444078 THREE-PHASE THERMOSTAT 100-175°C

D-shaped pin \varnothing 6x4.6 mm
covered capillary length 2000 mm - 10A 400V
bulb \varnothing 6x130 mm
for Fryer (ALPENINOX) - Series 700 - Series 900



ALPENINOX 0A2003
WHIRLPOOL 202003

EGO 5534039837
ZANUSSI 0A2003

ELECTROLUX 0A2003



Suitable for:

Thermostats



3444234 THREE-PHASE THERMOSTAT 100-195°C

D-shaped pin \varnothing 6x4.6 mm
covered capillary length 1500 mm - 10A 400V
bulb \varnothing 6x134 mm
for Fryer (MODULAR) - Series 600 - Series 700
Series 900
for Fryer electric (KÜPPERSBUSCH) LEF124 - LEF224
NEF144 - NEF176 - NEF224 - NEF244 - SEF124
SEF144 - SEF224



EGO 5534034801 KÜPPERSBUSCH 355637 MODULAR 661.041.00

3444198 THREE-PHASE THERMOSTAT 100-180°C

D-shaped pin \varnothing 6x4.6 mm
covered capillary length 2000 mm - 10A 400V
bulb \varnothing 6x130 mm
for Fryer (BARON)
for Fryer (BERTO'S)
for Fryer (OLIS) - Series 700 - Series 900
for Fryer electric (FRI FRI) D6 - D8
for Fryer electric (THIRODE) FR10



BARON BN8219601 BARON 8219601 BARTSCHER 023964
BERTO'S 22062900 BERTO'S 33066000 BERTO'S 33066200
BONNET 301062 EGO 5534035201 EGO 5534039800
EGO 5534039804 EGO 5534035010 FRI FRI 400370
GICO 53401031820 GIGA X43800 HOBART 301062
METOS 8219601 METOS BN8219601 MKN 203497
OLIS BN8219601 OLIS 8219601 SILKO 0109055
THIRODE 301062 WHIRLPOOL 483286000171

3444040 THREE-PHASE THERMOSTAT 100-300°C

D-shaped pin \varnothing 6x4.6 mm
covered capillary length 1150 mm - 10A 400V
bulb \varnothing 6x80 mm
for Bratt pan electric (GIGA) SKBR40E
for Fry top (ZANUSSI) - Series H900



ALPENINOX 052916 ANGELO PO 3222560 BERTO'S 30064900
BERTO'S 22062600 EGO 5534059804 EGO 5534059806
EGO 5534059814 EGO 5534052804 ELECTROLUX 052916
GIGA Y16400 GIGA X43200 GIGA X43900
WHIRLPOOL 483286009368 WHIRLPOOL 771985002609 WHIRLPOOL 152916
ZANUSSI 052916

3444638 THREE-PHASE THERMOSTAT 100-330°C

D-shaped pin \varnothing 6x4.6 mm
covered capillary length 900 mm - 16A 380V
bulb \varnothing 6x75 mm
for Bratt pan (SOGET)
for Fry top (SOGET)
for Oven under cooktop (MODULAR) - Series 600
Series 700 - Series 900
for Oven under cooktop (SOGET)



EGO 5534062803 MODULAR 661.007.00 SOGET 300003

3744062 THREE-PHASE THERMOSTAT 100-350°C

D-shaped pin \varnothing 6x4.6 mm
capillary length 1470 mm - 16A 400V
bulb \varnothing 6x75 mm
for Bain-marie (MORICE)
for Boiling pan (MORICE)
for Fry top (MORICE)
for Grill (BONNET) - Series 400 - Series 600
for Oven under cooktop (MORICE)



ALPENINOX 0M0725 BONNET 7471044 EGO 5534064010
ELECTROLUX 0M0725 MORICE TH1088 WHIRLPOOL 481281719387
ZANUSSI 0M0725

3444562 THREE-PHASE THERMOSTAT 100-350°C

D-shaped pin \varnothing 6x4.6 mm
covered capillary length 1800 mm - 16A 230V
bulb \varnothing 6x80 mm
for Bratt pan (CHARVET) 800ESBC/L33



CHARVET 01999A EGO 5534069010 EGO 5534069030
MKN 203406 THIRODE 301006



Suitable for:

Suitable for:

3744110 THREE-PHASE THERMOSTAT 100-350°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 1800 mm - 10A 400V
 bulb \varnothing 6x80 mm



EGO 5534065010 SOLYMAC P80 WHIRLPOOL 481227118065

3444490 THREE-PHASE THERMOSTAT 100-470°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 1000 mm
 bulb \varnothing 4x165 mm



EGO 5540083010 MKN 203407

3444028 THREE-PHASE THERMOSTAT 105-185°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 2800 mm - 10A 400V
 bulb \varnothing 4x235 mm
 for Bratt pan (ZANUSSI) - Series R700
 Series R701
 for Fryer (ZANUSSI) - Series R700 - Series R701
 for Fryer electric (FRI FRI) D6



ALPENINOX 004925 ALPENINOX 051361 ALPENINOX 054931
 EGO 5534039807 EGO 5534039080 ELECTROLUX 004925
 ELECTROLUX 051361 ELECTROLUX 054931 FRI FRI 400369
 TECNOINOX RC00064000 TECNOINOX RC0028100 TECNOINOX RC00281000
 TECNOINOX 00281 WHIRLPOOL 771985002321 WHIRLPOOL 151361
 WHIRLPOOL 154931 WHIRLPOOL 480181700005 ZANUSSI 004925
 ZANUSSI 051361 ZANUSSI 054931

3444086 THREE-PHASE THERMOSTAT 108-192°C
 D-shaped pin \varnothing 6x4.6 mm
 capillary length 900 mm - 10A 400V
 bulb \varnothing 6x200 mm
 for Fryer electric (ELFRAMO) EB12 - EB18 - EB6
 EB8



EGO 5534032800 ELFRAMO 00033240 ELFRAMO 22160001
 KOMEL 22160001 KOMEL 00033240 REPAGAS 8700022

3444443 THREE-PHASE THERMOSTAT 115-300°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 1150 mm - 10A 400V
 bulb \varnothing 3x144 mm
 for Fry top (ZANUSSI) - Series N700 - Series PR700



ALPENINOX 004363 EGO 5534059812 ELECTROLUX 004363
 ZANUSSI 004363

2101663 THERMOSTAT THREE PAHASE 118-190°C
 D-shaft \varnothing 6x4.6 mm
 covered capillary length 880 mm
 bulb \varnothing 6x135 mm
 for Fryer electric (VALENTINE) BB550 - CANTINE
 PENSION1 - PENSION2 - ZENITH83 - ZENITH94



EGO 5534232030 VALENTINE 320101 VALENTINE 320102

3444546 THREE-PHASE THERMOSTAT 30-120°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 900 mm
 button bulb \varnothing 11x28 mm M14
 for Boiling pan (AMBACH)



AMBACH 5061603938 EGO 5534022829

3444734 THREE-PHASE THERMOSTAT 135°C
 with manual reset
 covered capillary length 1470 mm - 16A 230V
 bulb \varnothing 6x175 mm - with adapter nipple band M9x1



EGO 5531524030 MKN 203493



Suitable for:

Thermostats



3444024 THREE-PHASE THERMOSTAT 160°C
 with manual reset
 capillary length 900 mm - 10A 400V
 bulb \varnothing 6x175 mm
 for Boiling pan (ZANUSSI) - Series H900
 for Pasta cooker (ZANUSSI) - Series H900



ALPENINOX 051637
 WHIRLPOOL 771985002409

EGO 5531532050
 WHIRLPOOL 151637

ELECTROLUX 051637
 ZANUSSI 051637

3444323 THREE-PHASE THERMOSTAT 225°C
 with manual reset
 covered capillary length 950 mm - 20A 380V
 bulb \varnothing 6x155 mm
 for Pasta cooker (ZANUSSI) - Series HD900



ALPENINOX 059552
 ZANUSSI 059552

EGO 5531549050

ELECTROLUX 059552

3444090 THREE-PHASE THERMOSTAT 230°C
 with manual reset
 capillary length 900 mm - 10A 400V
 bulb \varnothing 6x240 mm - with adapter nipple band M9x1
 with complete tank joint M12x1
 for Boiling pan (MARENO)
 for Boiling pan (SILKO)
 for Fryer (MARENO)
 for Fryer (SILKO)



CHARVET 05996A
 MARENO 1878000

EGO 5531542050
 MARENO 733100

GICO
 SILKO 00422

3444390 THREE-PHASE THERMOSTAT 230°C
 with manual reset
 capillary 900 mm - 10A 400V
 bulb \varnothing 6x230 mm
 for Fryer electric (ELFRAMO) EB12 - EB18 - EB8



BARON BN6A046900
 ELFRAMO 00032280
 KOMEL 00032280
 METOS 6A046900
 OLIS 6A046900
 WHIRLPOOL 481281719384

BARON 6A046900
 ELFRAMO 22150001
 KOMEL 22150001
 METOS BN6A046900
 REPAGAS 8700021

EGO 5531542140
 ELFRAMO 22150002
 KOMEL 22150002
 OLIS BN6A046900
 SICOMEX 03299

3444472 THREE-PHASE THERMOSTAT 230°C
 with manual reset
 capillary length 1700 mm - 20A 380V
 bulb \varnothing 6x220 mm
 for Fryer (KÜPPERSBUSCH) - Series NEF - Series SEF



EGO 5531545020

KÜPPERSBUSCH 176174

3444221 THREE-PHASE THERMOSTAT 140°C
 with manual reset
 covered capillary length 1000 mm - 10A 400V
 bulb \varnothing 6x175 mm
 for Fryer (MBM) - Series CLASSICA



ALPENINOX 051644
 WHIRLPOOL 151644

EGO 5531532060
 ZANUSSI 051644

ELECTROLUX 051644



Suitable for:

3444737 THREE-PHASE THERMOSTAT 240°C
with manual reset
covered capillary length 1430 mm - 16A 230V
bulb \varnothing 6x177 mm - with adapter nipple band M9x1



EGO 5531544050

MKN 203482

Suitable for:

3444035 THREE-PHASE THERMOSTAT 240°C
with manual reset
covered capillary length 2600 mm - 10A 400V
bulb \varnothing 6x240 mm
for Fryer (ZANUSSI) - Series R700 - Series R701



ALPENINOX 051369
ZANUSSI 051369

EGO 5531546020

ELECTROLUX 051369

3444738 THREE-PHASE THERMOSTAT 240°C
with manual reset
covered capillary length 2600 mm - 16A 230V
bulb \varnothing 6x177 mm - with adapter nipple band M9x1



EGO 5531549010

MKN 203483

3444036 THREE-PHASE THERMOSTAT 245°C
with manual reset
capillary length 1200 mm - 10A 400V
bulb \varnothing 6x160 mm
for Bratt pan (ZANUSSI) - Series H900
for Fryer (ZANUSSI) AFR/G410 - Series HD700
Series H900 - Series R701



ALPENINOX 052331

EGO 5531549020

ELECTROLUX 052331

JUNO-RÖDER-SENKING 293586
ZANUSSI 052331

WHIRLPOOL 771985002529

WHIRLPOOL 152331

3444575 THREE-PHASE THERMOSTAT 285°C
with manual reset
covered capillary 940 mm - 20A 380V
bulb \varnothing 6x157 mm
for Boiling pan (WHIRLPOOL) - Series H900
for Boiling pan (ZANUSSI) - Series HD900
Series H900



ALPENINOX 053183

EGO 5531559020

ELECTROLUX 053183

WHIRLPOOL 771985002640

WHIRLPOOL 153183

ZANUSSI 053183

3444707 THREE-PHASE THERMOSTAT 320°C
with manual reset
covered capillary length 1450 mm - 10A 400V
bulb \varnothing 6x176 mm - with adapter nipple band M9x1



EGO 5531554020

JUNO-RÖDER-SENKING 213139

JUNO-RÖDER-SENKING 213149

JUNO-RÖDER-SENKING 212899



Suitable for:

Thermostats



3444025 THREE-PHASE THERMOSTAT 350°C
 with manual reset
 capillary length 1200 mm - 10A 400V
 bulb \varnothing 6x160 mm
 for Boiling pan (ZANUSSI) - Series HD900
 Series H900
 for Bratt pan (ZANUSSI) - Series HD900 - H900
 for Fry top (ZANUSSI) - Series HD700



ALPENINOX 051454
 EGO 5531569010
 MARENO 1475513
 ZANUSSI 051454

ALPENINOX 051643
 ELECTROLUX 051454
 WHIRLPOOL 151454
 ZANUSSI 051643

EGO 5531566010
 ELECTROLUX 051643
 WHIRLPOOL 151643

3444479 THREE-PHASE THERMOSTAT 120°C
 with manual reset
 covered capillary length 900 mm - 10A 400V
 bulb \varnothing 6x100 mm
 for Pasta cooker electric (DESCO) CPE1 - CPE2
 CPE2-7 - CPE7



DESCO 210044
 ROSINOX RX94800505

EGO 5532522802

EGO 5532522861

3443072 THREE-PHASE THERMOSTAT 130°C
 with manual reset
 capillary length 1000 mm
 bulb \varnothing 6x80 mm - with adapter nipple band M13x1
 for Boiling pan (CAPIC) W085121



CAPIC E401008

CAPIC E401012

3444618 THREE-PHASE THERMOSTAT 135°C
 with manual reset
 covered capillary length 890 mm - 20A 380V
 bulb \varnothing 3x225 mm
 for Bain-marie electric (MBM) EC66 - EC922V
 EC922VT
 for Boiling pan electric (MBM) E100I - E100IT9
 E100I9 - E150IA - E150IT9 - E150I9 - E50I7
 for Pasta cooker electric (MBM) EC45 - EC49
 EC49T - EC902V



EGO 5532522814

MBM RTCP900074

3444644 THREE-PHASE THERMOSTAT 135°C
 with manual reset
 covered capillary length 900 mm
 bulb \varnothing 6x89 mm
 for Pasta cooker (OFFCAR) - Series 700
 Series 900



EGO 5532522825

OFFCAR 898979

3444567 THREE-PHASE THERMOSTAT 145°C
 with manual reset
 capillary length 1750 mm - 16A 230V
 bulb \varnothing 3.1x180 mm - with adapter nipple band M9x1



ALPENINOX 0H6219

JUNO-RÖDER-SENKING 214838

EGO 5532525060

WHIRLPOOL 256219

ELECTROLUX 0H6219

ZANUSSI 0H6219



Suitable for:

3444471 THREE-PHASE THERMOSTAT 150°C
 with manual reset
 covered capillary length 900 mm - 10A 400V
 bulb \varnothing 3x230 mm
 for Pasta cooker electric (AMBACH) - Series CPE70



AMBACH 5061603828

EGO 5532522827

Suitable for:

3444770 THREE-PHASE THERMOSTAT 157°C
 with manual reset
 covered capillary length 900 mm - 16A 230V
 bulb \varnothing 6x80 mm
 for Pasta cooker (EMMEPI) - Series 650
 Series 700 - Series 750 - Series 900



BARON 41826630350

EBERHARDT 214317

GIORIK 6010002

BARON 826630350

EGO 5532522811

ROSINOX RX94805413

BARON 85326010002

EMMEPI 808057

SILKO 0108113

3444775 THREE-PHASE THERMOSTAT 159°C
 with manual reset
 capillary length 1100 mm - 16A 230V
 bulb \varnothing 3.1x185 mm
 for Boiling pan (EMMEPI) - Series 700 - Series 750
 Series 900



BERTO'S 31290200

EGO 5532529810

SILKO 0102493

COLUSSI R54005990

EMMEPI 808203

EBERHARDT 214196

ROSINOX RX94812646

3444142 THREE-PHASE THERMOSTAT 150°C
 with manual reset
 capillary 1500 mm - 10A 400V
 bulb \varnothing 6x90 mm - stuffing gland fitting M9x
 for Boiling pan (ANGELO PO) - Series ALPHA
 Series DELTA - Series GAMMA - Series JUNIOR
 Series SENIOR - Series SUMMIT
 for Pasta cooker (ANGELO PO) - Series ALPHA
 Series DELTA - Series GAMMA - Series JUNIOR
 Series SENIOR - Series SUMMIT



ANGELO PO 32Z2710

EGO 5532524030

3744046 THREE-PHASE THERMOSTAT 156°C
 with manual reset
 covered capillary length 1500 mm
 bulb \varnothing 6x90 mm
 for Pasta cooker (ANGELO PO) - Series ALPHA
 Series DELTA - Series GAMMA - Series OMEGA



ANGELO PO 3014260

ANGELO PO 3014261

EGO 5532524802

3444424 THREE-PHASE THERMOSTAT 160°C
 with manual reset
 covered capillary length 900 mm - 20A 380V
 bulb 6x90 mm
 for Boiling pan electric (OLIS) - Series 700
 for Boiling pan gas (OLIS) - Series 700



BARON BN6A049405

METOS 6A049405

OLIS 6A049405

BARON 6A049405

METOS BN6A049405

EGO 5532532805

OLIS BN6A049405



Suitable for:

Thermostats



3444442 THREE-PHASE THERMOSTAT 170°C
 with manual reset
 covered capillary 880 mm
 bulb \varnothing 6x88 mm
 for Boiling pan (ZANUSSI) - Series HD900
 Series N900



ALPENINOX 005295
ZANUSSI 005295

EGO 5532532824

ELECTROLUX 005295

3444556 THREE-PHASE THERMOSTAT 170°C
 with manual reset
 covered capillary length 900 mm - 20A 400V
 bulb \varnothing 6x87 mm
 for Pasta cooker (ZANUSSI) - Series N700
 Series PR700



ALPENINOX 004742
ZANUSSI 004742

EGO 5532532820

ELECTROLUX 004742

3444939 THREE-PHASE THERMOSTAT 220°C
 with manual reset
 covered capillary length 900 mm - 20A 400V
 bulb \varnothing 6x110 mm
 for Fryer (AMBASSADE)



AMBASSADE 6537879

EGO 5533542040

3444959 THREE-PHASE THERMOSTAT 220°C
 with manual reset
 capillary length 1000 mm
 bulb \varnothing 6x90 mm
 for Fryer electric (THIRODE) FR10



BONNET 301061
THIRODE 301061

EGO 5532542010

HOBART 301061

3444079 THREE-PHASE THERMOSTAT 220°C
 with manual reset
 covered capillary length 1790 mm - 10A 400V
 bulb \varnothing 6x130 mm
 for Fryer (ZANUSSI)



ALPENINOX 0A2204
WHIRLPOOL 481281719382
ZANUSSI 0A2204

EGO 5532549060
WHIRLPOOL 771985005768

ELECTROLUX 0A2204
WHIRLPOOL 202204

3444375 THREE-PHASE THERMOSTAT 225°C
 with manual reset
 covered capillary length 900 mm - 10A 400V
 bulb \varnothing 6x90 mm - with adapter nipple band M10x1
 for Fryer (EMMEPI) - Series 650 - Series 700
 Series 750 - Series 900
 for Fryer (GIORIK) - Series FT
 for Fryer electric (GIORIK) FTR10 - FTR6 - FTR7
 for Fryer electric (MBM) EF45 - EF46 - EF47
 EF472 - EF49 - EF66 - EF77 - EF90 - EF99



EBERHARDT 214299
EMMEPI 807349
MBM RTBF800164

EGO 5532542835
EMMEPI 807987
ROSINOX RX94812594

EMMEPI 8C2105
GIORIK 6010037
SILKO 0108066



Suitable for:

3444307 THREE-PHASE THERMOSTAT 230°C
 with manual reset
 covered capillary length 900 mm - 10A 400V
 bulb \varnothing 6x100 mm - with adapter nipple band M10x1
 for Fryer electric (BARON) - Series 900
 for Fryer (ROSINOX) ROSI FR15EHP



BARON 85326010036	EBERHARDT 214298	EGO 5513542230
EGO 5532542857	GIORIK 6010036	MBM RTBF900081
MKN 900081	OFFCAR 862123	ROSINOX RX94016599
ROSINOX RX94046363	SILKO 0108065	

Suitable for:

3444625 THREE-PHASE THERMOSTAT 230°C
 with manual reset
 covered capillary length 900 mm - 20A 400V
 bulb \varnothing 6x90 mm
 for Fryer (BARON) - Series 600



BARON BN41826630380	BARON 41826630380	BARON 826630380
EGO 5532542070	EGO 5532542850	

3444631 THREE-PHASE THERMOSTAT 230°C
 with manual reset
 covered capillary length 1700 mm - 20A 400V
 bulb \varnothing 6x80 mm
 for Fryer (BERTO'S) - Series 600 - Series 700
 Series 900



BERTO'S 33070800	EGO 5532544805	EGO 5532549130
EGO 5532549812	EMMEPI C10380	

3444368 THREE-PHASE THERMOSTAT 245°C
 with manual reset
 covered capillary length 900 mm - 10A 400V
 bulb \varnothing 6x80 mm
 for Fryer (LOTUS) - Series 600 - Series 650
 Series 700 - Series 900



ALPENINOX 004951	EGO 5532542842	EGO 5532542823
ELECTROLUX 004951	LOTUS 537001400	TECNOINOX RC00450000
TECNOINOX 00450	ZANUSSI 004951	

3444204 THREE-PHASE THERMOSTAT 235°C
 with manual reset
 covered capillary length 1700 mm - 10A 400V
 bulb \varnothing 4x120 mm - with adapter nipple band M9x1
 for Fryer electric (AMBACH) - Series EY
 Series FE



AMBACH 5061603878	AMBACH 5061610988	AMBACH 5061611126
EGO 5532545802	EGO 5532544800	

3444506 THREE-PHASE THERMOSTAT 240°C
 with manual reset
 covered capillary length 900 mm - 10A 400V
 bulb \varnothing 4x150 mm
 for Boiling pan (THERMA)
 for Fryer (THERMA)



EGO 5532542230	THERMA
----------------	--------




Suitable for:

Thermostats



3444143 THREE-PHASE THERMOSTAT 240°C
 with manual reset
 capillary length 1600 mm - 10A 400V
 bulb ø 6x85 mm
 for Fryer (ANGELO PO) - Series JUNIOR
 Series SENIOR - Series SUMMIT



ALPENINOX 0A5435
 ANGELO PO 32Z3631
 EGO 5532549816
 MODULAR 661.048.00

AMBACH 5061038930
 EGO 5532549827
 ELECTROLUX 0A5435
 TECNOINOX RC0045000

ANGELO PO 32Z3630
 EGO 5532542807
 ELETTRORBAR
 ZANUSSI 0A5435

3444972 THREE-PHASE THERMOSTAT 240°C
 with manual reset
 capillary length 2300 mm
 bulb ø 6x88 mm



EGO 5532549050

MORICE TH1087

3444439 THREE-PHASE THERMOSTAT 245°C
 with manual reset
 covered capillary length 900 mm
 bulb ø 6x80 mm
 for Bain-marie (ZANUSSI) - Series N900
 for Fryer (WHIRLPOOL) - Series 900
 for Fryer (ZANUSSI) - Series HD900 - Series N900



ALPENINOX 006282
 WHIRLPOOL 771985000624

EGO 5532549814
 ZANUSSI 006282

ELECTROLUX 006282

3443075 THREE-PHASE THERMOSTAT 245°C
 covered capillary length 900 mm
 bulb ø 6x80 mm
 with adapter nipple band M9x1
 for Bratt pan electric (CHARVET) - Series DBRE
 for Bratt pan gas (CHARVET) - Series DBRG



CHARVET 07665A

EGO 5532542803

3444653 THREE-PHASE THERMOSTAT 245°C
 with manual reset
 covered capillary length 1750 mm - 20A 380V
 bulb ø 4x120 mm
 for fryer 900
 for Fryer (OLIS) - Series 900
 for Fryer electric (OLIS) 921FRE



BARON BN8219602
 EGO 5532545800
 OLIS 8219602

BARON 8219602
 METOS BN8219602
 OLIS BN8219602

BARTSCHER 023965
 METOS 8219602

3444436 THREE-PHASE THERMOSTAT 245°C
 with manual reset
 covered capillary length 2700 mm - 20A 400V
 bulb ø 6x90 mm
 for Fryer (WHIRLPOOL)
 for Fryer (ZANUSSI) - Series HD900 - Series N700
 Series N900 - Series PR700
 for Hot plate (WHIRLPOOL)



ALPENINOX 004472
 WHIRLPOOL 771985000460

EGO 5532549811
 WHIRLPOOL 104472

ELECTROLUX 004472
 ZANUSSI 004472



Suitable for:

3444444 **THREE-PHASE THERMOSTAT 250°C**
 with manual reset
 covered capillary length 900 mm - 20A 400V
 bulb \varnothing 6x90 mm
 for Fryer (ZANUSSI) - Series N700 - Series N900



ALPENINOX 005941
 ZANUSSI 005941

EGO 5532542859

ELECTROLUX 005941

Suitable for:

3444706 **THREE-PHASE THERMOSTAT 255°C**
 with manual reset
 covered capillary length 730 mm - 10A 400V
 bulb \varnothing 3.1x307 mm



EGO 5532559010

PALUX 027332

3444557 **THREE-PHASE THERMOSTAT 270°C**
 with manual reset
 covered capillary length 870 mm - 20A 400V
 bulb \varnothing 6x78 mm
 for Fry top (ZANUSSI) - Series N700 - Series PR700



ALPENINOX 006307
 ZANUSSI 006307

EGO 5532552814

ELECTROLUX 006307

3444317 **THREE-PHASE THERMOSTAT 270°C**
 with manual reset
 covered capillary length 2000 mm - 10A 400V
 bulb \varnothing 6x70 mm
 for Boiling pan (WHIRLPOOL) - Series H900
 for Fryer (ANGELO PO) - Series ALPHA
 Series DELTA




ANGELO PO 32V0970
 EGO 5532559814

ANGELO PO 32V6560

EGO 5532559809

3444776 **THREE-PHASE THERMOSTAT 280°C**
 with manual reset
 covered capillary length 900 mm - 16A 230V
 bulb \varnothing 4x125 mm



EGO 5532552808

SILKO 0101425

3444703 **THREE-PHASE THERMOSTAT 315°C**
 with manual reset
 covered capillary length 1500 mm - 10A 400V
 bulb \varnothing 6x80 mm - with adapter nipple band M9x1



ALPENINOX 0H6215
 JUNO-RÖDER-SENKING 214803

EGO 5532564010
 WHIRLPOOL 256215

ELECTROLUX 0H6215
 ZANUSSI 0H6215



Suitable for:

Thermostats



3444592 THREE-PHASE THERMOSTAT 340°C

with manual reset
capillary length 1190 mm
bulb \varnothing 4x128 mm
for Fryer electric (ROLLER GRILL) RF12DSP - RF12SP
RF8DSP - RF8SP



BONNET 301053
ROLLER GRILL A06012

EGO 5532563010
THIRODE 301053

HOBART 301053

3444354 THREE-PHASE THERMOSTAT 350°C

with manual reset
capillary length 1120 mm - 10A 400V
bulb \varnothing 3x190 mm
for Fry top electric (TECNOINOX) FTC35E - FTC70E
FTL35E - FTL70E - FTR35E - FTR70E



ALPENINOX 0H6134
BARON 6A046150
EGO 5532562808
ERRE 2 53403000350
JUNO-RÖDER-SENKING 212841
METOS 6A046150
OLIS BN6A046150
TECNOINOX RC0030500
ZANUSSI 004919

ALPENINOX 004919
EGO 5532574040
EGO 5532569813
GICO 53403000350
MBM RTCU800152
OFFCAR 843737
SMEG 818731004
WHIRLPOOL 256134

BARON BN6A046150
EGO 5564945010
EMMEPI 807790
GIORIK 5910029
METOS BN6A046150
OLIS 6A046150
TECNOINOX RC00305000
ZANUSSI 0H6134

3444356 THREE-PHASE THERMOSTAT 350°C

with manual reset
covered capillary length 1300 mm - 10A 400V
bulb \varnothing 4x120 mm
for Bratt pan (ANGELO PO) - Series ALPHA
Series DELTA
for Fry top (ANGELO PO) - Series ALPHA
Series DELTA - Series GAMMA - Series OMEGA
Series SENIOR
for Oven under cooktop (ANGELO PO) - Series ALPHA
Series DELTA - Series SENIOR



ANGELO PO 32Z6750
EGO 5532569814

ANGELO PO 32Z9201
EGO 5532579800

ANGELO PO 32Z9202

3444704 THREE-PHASE THERMOSTAT 350°C

with manual reset
covered capillary length 1500 mm - 10A 400V
bulb \varnothing 6x80 mm



EGO 5532564040

JUNO-RÖDER-SENKING 212844

3444370 THREE-PHASE THERMOSTAT 350°C

with manual reset
covered capillary length 3000 mm - 10A 400V
bulb \varnothing 6x90 mm
for Bratt pan (EMMEPI) - Series 750 - Series 900
for Fry top (EMMEPI) - Series 650 - Series 700
Series 750 - Series 900
for Fry top (GIGA) - Series SKT - Series 700
Series 800 - Series 900
for Oven under cooktop (EMMEPI) - Series 700
for Oven under cooktop (GIGA) - Series 900



EGO 5532566806
GIGA X44800

EMMEPI C00098
WHIRLPOOL 483286009372

GIGA 448001

3444632 THREE-PHASE THERMOSTAT 350°C

with manual reset
covered capillary length 3000 mm - 20A 300V
bulb \varnothing 6x90 mm
for Bratt pan (BERTO'S) - Series 900
for Fry top (BERTO'S) - Series 600 - Series 700
Series 900
for Kitchen (BERTO'S) - Series 700 - Series 900



BERTO'S 22069700

EGO 5532566808



Suitable for:

3444306 THREE-PHASE THERMOSTAT 360°C
 with manual reset
 covered capillary length 900 mm - 10A 400V
 bulb \varnothing 4x120 mm
 for Bratt pan (BARON) - Series 700 - Series 900
 for Bratt pan (ZANUSSI) - Series N700
 Series PR700
 for Fry top (BARON) - Series 600 - Series 700
 Series 900
 for Fry top (ZANUSSI) - Series HD900 - Series N900
 for Kitchen (BARON) - Series 700 - Series 900
 for Pot stove (ZANUSSI) - Series PR700



ALPENINOX 004269
 EGO 5532562806
 ZANUSSI 004269

BARON 826630130
 ELECTROLUX 004269

BARON BN826630130
 WHIRLPOOL 104269

Suitable for:

3444574 THREE-PHASE THERMOSTAT 360°C
 with manual reset
 covered capillary length 1200 mm - 20A 400V
 bulb \varnothing 6x79 mm
 for Boiling pan (ZANUSSI) - Series HD900
 for Fry top (ZANUSSI) - Series N700 - Series PR700
 for Kitchen (ZANUSSI) - Series N700



ALPENINOX 004600
 ZANUSSI 004600

EGO 5532573801

ELECTROLUX 004600

3444484 THREE-PHASE THERMOSTAT 360°C
 with manual reset
 capillary length 1300 mm
 bulb \varnothing 4x120 mm
 for Bratt pan (AMBACH) - Series BP - Series KB



AMBACH 5061603684
 EGO 5532563804

AMBACH 5061616223

EGO 5532563800

3444493 THREE-PHASE THERMOSTAT 360°C
 with automatic reset
 capillary length 1500 mm - 16A 230V
 bulb \varnothing 4x120 mm
 for Fry top (MODULAR) - Series 600 - Series 700



EGO 5532562802
 MODULAR 661.045.00

EGO 5532574010
 RIEBER 33063306

LINCOLN 369583

3444832 THREE-PHASE THERMOSTAT 360°C
 with manual reset
 capillary length 1500 mm
 bulb \varnothing 4x170 mm



EGO 5532574020

LINCOLN 369368

3444904 THREE-PHASE THERMOSTAT 370°C
 with manual reset
 covered capillary length 1500 mm
 bulb \varnothing 6x77 mm
 for Bratt pan (BONNET) - Series GRANDE CARTE



BONNET 1040069

EGO 5532574050



Suitable for:

Thermostats



3444363 THREE-PHASE THERMOSTAT 420°C
 with manual reset
 covered capillary length 900 mm - 10A 400V
 bulb \varnothing 4x310 mm
 for Bratt pan (LOTUS) - Series 600 - Series 650
 Series 700
 for Bratt pan electric (MBM) EBRA - EBRAVI9T
 EBRA9T - EBRI7 - EBRVI9T - EBR7 - EBR9T
 for Fry top (LOTUS) - Series 600 - Series 650
 Series 700
 for Oven under cooktop (LOTUS) - Series 700
 Series 900



BARON BN6A046180
 EGO 5532582804
 GICO 53403000420
 MBM RTBF800192
 OLIS BN6A046180
 BARON 6A046180
 EGO 5532582807
 LOTUS 537012800
 METOS BN6A046180
 OLIS 6A046180
 EGO 5532582802
 EMMEPI 807793
 LOTUS 537012700
 METOS 6A046180

3444315 THREE-PHASE THERMOSTAT 135°C
 with manual reset
 covered capillary length 1000 mm - 10A 400V
 bulb a bottone \varnothing 14x20 mm
 for Boiling pan (ANGELO PO) - Series ALPHA
 Series DELTA - Series GAMMA - Series JUNIOR
 Series SENIOR - Series SUMMIT



ANGELO PO 32Z9620
 ANGELO PO 32Z9621
 EGO 5532529812

3444445 THREE-PHASE THERMOSTAT 350°C
 covered capillary length 900 mm - 16A 380V
 bulb \varnothing 3x190 mm
 for Bratt pan (ZANUSSI) - Series N900
 for Oven under cooktop (ZANUSSI) - Series N900



ALPENINOX 0C0270
 ZANUSSI 0C0270
 EGO 5534162800
 ELECTROLUX 0C0270

3444769 THREE-PHASE THERMOSTAT 132°C
 with automatic reset
 capillary length 900 mm - 16A 230V
 bulb \varnothing 6x80 mm - with adapter nipple band M9x1
 for Pasta cooker (MARENO)
 Series 900 PROTAGONISTA NUOVA



EBERHARDT 221856
 MARENO 1878900
 SILKO 0105167
 EGO 5532522843
 ROSINOX RX94812642
 MARENO MA1878900
 SILKO MA1878900

3444925 THREE-PHASE THERMOSTAT 140°C
 with automatic reset
 capillary length 900 mm
 bulb \varnothing 6x80 mm



EGO 5534122070
 THIRODE 301055

3444342 THREE-PHASE THERMOSTAT 230°C
 with automatic reset
 covered capillary length 1200 mm - 10A 400V
 bulb \varnothing 6x75 mm - with adapter nipple band M9x1
 for Fryer electric (MARENO) FQE-41 - FQE-61



EGO 5532543803
 MARENO MA1878600
 MARENO 1878600



Suitable for:

3444600 SINGLE-PHASE THERMOSTAT 325°C
 capillary length 900 mm
 bulb \varnothing 3x185 mm
 for Fry top gas (MARENO) FTG-40B - FTG-40BLC
 FTG-60B - FTG-60BLC - FTG-60BR - FTG-80B
 FTG-80BR



EGO 5532562828 MARENO MA1942900

Suitable for:

3444382 THREE-PHASE THERMOSTAT 360°C
 with manual reset
 capillary length 900 mm - 10A 400V
 bulb \varnothing 6x80 mm
 differential temperature \dot{y} 15°C
 lead connector 6.35x0.8 mm
 for Boiling pan (MARENO)
 Series 900 PROTAGONISTA NUOVA
 for Bratt pan (MARENO)
 Series 900 PROTAGONISTA NUOVA
 for Fry top (MARENO)
 Series 900 PROTAGONISTA NUOVA
 for Oven under cooktop (MARENO)
 Series 900 PROTAGONISTA NUOVA



EGO 5532562822 MARENO MA1878500 MARENO 1878500
 SILKO 1878500


3444149 ADAPTER FOR SELECTOR SWITCH



EGO 0004695500

3444549 ADHESIVE PLATE FOR THERMOSTAT 120-190°C

size 113x86 mm
 for Fryer (ANGELO PO) - Series ALPHA
 Series SENIOR



ANGELO PO 37M5670

3444012 BLACK KNOB \varnothing 41 mm SILK-SCREEN PRINTED

D-shaped pin \varnothing 6x4.6 mm
 for thermostat TR/2



ROSINOX RX94800935

3444009 BLACK KNOB \varnothing 41 mm 0-120°C

D-shaped pin \varnothing 6x4.6 mm
 for thermostat TR/2



CAMURRI 050B0250 MOBILE CONTAINING 957060 SAMMIC 2309065

3444010 BLACK KNOB \varnothing 41 mm 0-210°C

D-shaped pin \varnothing 6x4.6 mm
 for thermostat TR/2



3444011 BLACK KNOB \varnothing 41 mm 0-300°C

D-shaped pin \varnothing 6x4.6 mm
 for thermostat TR/2





Suitable for:

3444008 BLACK KNOB \varnothing 41 mm 0-90°C
D-shaped pin \varnothing 6x4.6 mm
for thermostat TR/2



ANGELO PO 36M2830
CF CENEDESE 63.6.0262
ELETTROBAR 929042
GIGA SD903982
SAMMIC 2309065
WHIRLPOOL 483286008153

CAMPEONA 13/73
CF CENEDESE 63.6.0264
EMMEPI 903982
NUOVA SIMONELLI 18010388
SILANOS 903982

CAMURRI 050B0251
DEXION
FORVED VETRMANTERM
REPAGAS 25304010
VEMA XRPV16

Suitable for:

3444617 BULB CONNECTION \varnothing 9.5 mm 3/8" HOLE
stuffing gland \varnothing 1/4"



EGO 6700700100




3444616 BULB CONNECTION M12 HOLE \varnothing 6 mm
stuffing gland M9x1



EGO 6706100100

JEMI 2037051

1444011 BULB HOLDING CLIP
for heating element thermostat



ANIMO 06336

3444224 BULB HOLDING CLIP
internal \varnothing 6 and 8 mm
for Fryer (GIGA) - Series 600 - Series 700
Series 900



GIGA M86500

WHIRLPOOL 483286000177

3444279 BULB HOLDING CLIP
per termostato resistenza



ALPENINOX 066823

ELECTROLUX 066823

ZANUSSI 066823

3444579 BULB HOLDING CLIP
per termostato resistenza



ALPENINOX 052262

ELECTROLUX 052262

ZANUSSI 052262

3444833 BULB HOLDING CLIP
for oven thermostat



LINCOLN 369547

3744084 BULB HOLDING CLIP
for heating element thermostat



ALPENINOX 0H6907
ZANUSSI 0H6907

ELECTROLUX 0H6907

JUNO-RÖDER-SENKING 279296

3250220 BULB HOLDING CLIP \varnothing 6 mm
for Fryer electric (GIGA) CF4E - CF6E - IF1E4
IF2E6 - IF4E - IF6E - KFE1 - KFE2 - OPFE1
OPFE2 - SKF1E - SKF2E - SKF4E - SKF6E - TF4E
TF6E



GIGA M86800

WHIRLPOOL 483286009649



Suitable for:

3444605 BULB HOLDING CLIP \varnothing 6 mm
for fryer thermostat
for Fryer electric (MARENO) FQE-61 - FQE-61L
FQE-61L2



MARENO MA1033515200

Suitable for:

3250218 BULB HOLDING CLIP \varnothing 8,5 mm
for Fryer electric (GIGA) CF2E4 - SKF2E4 - SK10DSE
SK10SE - TF2EA - 15DPE - 15PE



GIGA M86900

WHIRLPOOL 483286000554

3786474 EPDM GASKET



EGO 0006706103

EGO 6706103

3444827 GAS THERMOSTAT 200-600°F/93-316°C
120Vac 50/60Hz



LINCOLN 369801

3444215 GLAND FOR THERMOSTAT 12x1



ALPENINOX 067899
ZANUSSI 067899

EGO

ELECTROLUX 067899

3444823 KIT FOR SAFETY THERMOSTAT



FRYMASTER 8261000

3444122 MILLED GLAND FOR THERMOSTAT BULB 10x1



EGO 2702130001

EGO 616085

GIORIK 6030024

3444121 MILLED GLAND FOR THERMOSTAT 9x1



ALPENINOX 027061
ELECTROLUX 027061
OLIS 6A038801
ZANUSSI 027061

EGO 615121
METOS BN6A038801
OLIS BN6A038801

EGO 0000270611
METOS 6A038801
WHIRLPOOL 167899

3444845 OPERATING THERMOSTAT 210°C
D-shaped pin \varnothing 6x4 mm
capillary length 470 mm
bulb \varnothing 6x135 mm
for Display cabinet warm (HENNY PENNY) CW114
CW216 - HCS2 - HCW5 - HCW8



HENNY PENNY HP64103

3444124 PROTECTION CAP
for security thermostat



ALPENINOX 0A2187
ELECTROLUX 0A2187
ZANUSSI 0A2187

EGO 525020
ELETTROBAR 410006

EGO 0000525020
UNOX



Suitable for:

Thermostats



3241870 RING NUT \varnothing 52 mm
chrome plated metal
for EGO thermostate knob



CAPIC E401313
EGO 6762105000
FRIMA
METOS
SOLYMAC P79A

DEL RUE NEP1400
EGO 6762108
JEMI
MORICE

EGO 6762105
EGO 6762000020
LOWERATOR 105121
SILKO 0101211

3444013 RING NUT \varnothing 55 mm
chrome-plated metal
for thermostat TR/2 knob



CAMURRI 050B0240

MODULAR

2111707 SINGLE PHASE THERMOSTAT 175°C
with automatic reset
capillary length 600 mm - 16A 250V
bulb \varnothing 7,5x30 mm



EGO 5514139800

3444521 SINGLE PHASE THERMOSTAT 335°C
manual reset
capillary length 1000 mm
bulb \varnothing 3x195 mm - 20A 250V
for Panini grill electric (UNOX) XP010 - XP020



TECNOEKA 01200400
UNOX TR250

UNOX KTR254
UNOX TR254

UNOX TR240
UNOX KTR1134A

3444700 SINGLE-PHASE THERMOSTAT KIT 50-200°C
D-shaped pin \varnothing 6x4.6 mm
with commutator and bulb sheath knob
capillary length 870 mm
bulb \varnothing 6x80 mm - with adapter nipple bland M9x1
for Fryer (JEMI) - Series 1000 - Series 600
Series 700 - Series 900



JEMI 998151

3444636 SINGLE-PHASE THERMOSTAT TR2 30-86°C
D-shaped pin \varnothing 6x4.6 mm
capillary length 850 mm - 16A 400V
bulb \varnothing 6.5x95 mm



ROLLER GRILL A06003

3444537 SINGLE-PHASE THERMOSTAT 0-110°C
D-shaped pin \varnothing 6x4.6 mm
covered capillary length 2100 mm
bulb \varnothing 6x135 mm
for Food-service trolley (RIEBER) BM311



RIEBER 33061801

3444538 SINGLE-PHASE THERMOSTAT 0-110°C
D-shaped pin \varnothing 6x4.6 mm
covered capillary length 2200 mm
bulb \varnothing 6x135 mm
for Food-service trolley (RIEBER) - Series STW
Series ZUB



RIEBER 33060401



Suitable for:

3444540 SINGLE-PHASE THERMOSTAT 0-110°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 1400 mm
 bulb \varnothing 6x140 mm
 for Food-service trolley (RIEBER)



RIEBER 33060301


Suitable for:

3444728 SINGLE-PHASE THERMOSTAT 0-190°C
 D-shaped pin 6x4.6 mm
 capillary length 510 mm - 20A 250V
 bulb \varnothing 6x66 mm
 for Fryer (COCINAS SALA)



COCINAS SALA R2510

3744119 SINGLE-PHASE THERMOSTAT 100-325°F
 D-shaped pin \varnothing 6x4.6 mm
 capillary length 1050 mm - 30A 277V
 bulb \varnothing 5x280 mm
 for Food-service trolley electric (ALTO-SHAAM) 1767-SK
 for Hot cupboard (ALTO-SHAAM) 1000-TH-I
 1000-TH-II - 500-TH-II - 750-TH-II
 for Hot cupboard electric (ALTO-SHAAM) 767-SK



ALTO-SHAAM TT-3329


5038072 SINGLE-PHASE THERMOSTAT 100-350°C
 complete with auxiliary switch
 D-Shaft 6x4.6 mm
 covered capillary length 870 mm - 16A 400V
 bulb \varnothing 3x144 mm
 for Bratt pan (MARENO)
 Series 900 PROTAGONISTA NUOVA



EGO 5519662010

MARENO CR0581280

3443073 SINGLE-PHASE THERMOSTAT 100-680°C
 complete with auxiliary selector switch
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 1100 mm - 16A 230V
 bulb \varnothing 4x230 mm
 for Oven under cooktop electric (AMBASSADE) CE841VTR



AMBASSADE 6535284

EGO 5534683070

3444260 SINGLE-PHASE THERMOSTAT 105-185°C
 complete with auxiliary selector switch
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 900 mm - 16A 250V
 threaded bulb \varnothing 1/2"x91 mm
 for Fryer (ANGELO PO) - Series JUNIOR



ANGELO PO 32Z6630

EGO P098161705

EGO 5519032816

3444478 SINGLE-PHASE THERMOSTAT 120-400°C
 complete with knob and indexed ring nut
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 900 mm - 16A 250V
 bulb \varnothing 4x230 mm
 for Panini grill electric (UNOX) XP010P - XP010PR
 XP010PT - XP020 - XP020P - XP020PR - XP020PT
 XP020R - XP020T



EGO 5519082806

UNOX KTR1131A

UNOX TR016

UNOX TR017

UNOX KTR1131A+KMN1105A

UNOX KTR006

3241942 SILVER KNOB \varnothing 55 mm 120-400°C
 complete with ring nut
 D-shaped hole 6x4.6 mm
 for Panini grill electric (UNOX) XP010P - XP010PR
 XP010PT - XP020 - XP020P - XP020PR - XP020PT
 XP020R - XP020T



UNOX KMN1105A



Suitable for:

Thermostats



3444771 SINGLE-PHASE THERMOSTAT 125°C
with manual reset
covered capillary length 900 mm - 16A 230V
bulb \varnothing 3.1x120 mm



EBERHARDT 213944
SILKO 0101404

EGO 5532522831

ROSINOX RX94805231

2101415 SINGLE-PHASE THERMOSTAT 130-190°C
D-shaped pin 6x4.6 mm
capillary length 1250 mm - 16A 250V
bulb \varnothing 6x120 mm



EGO 5517039010

LINCAT TH69

LINCAT TH10

3444979 SINGLE-PHASE THERMOSTAT 150°C
with manual reset
capillary length 1000 mm - 15A 250V
bulb \varnothing 6x175 mm
for Bain-marie (BONNET) - Series SYMPHONIE



BONNET 905687

EGO 5131915220

3444261 SINGLE-PHASE THERMOSTAT 160-190°C
complete with wiring
threaded bulb \varnothing 1/2" - \varnothing 16x93 mm
with adjusting screw
for Fryer (ANGELO PO) - Series JUNIOR
Series SENIOR



ANGELO PO 6300359

3444476 SINGLE-PHASE THERMOSTAT 170°C
2 contacts
covered capillary length 560 mm - 16A 250V
bulb \varnothing 3x160 mm
for Hot cupboard electric (ZANUSSI)
for Warm table electric (ZANUSSI)



ALPENINOX 031482
WHIRLPOOL 131482

EGO 5511539801
ZANUSSI 031482

ELECTROLUX 031482

3444481 SINGLE-PHASE THERMOSTAT 20-440°C
complete with knob
D-shaped pin \varnothing 6x4.6 mm
capillary length 1100 mm
button bulb \varnothing 20x20 mm
for Oven under cooktop (AMBACH) - Series KE
Series KS



AMBACH 5061608151

AMBACH 5061608296

3444316 SINGLE-PHASE THERMOSTAT 200°C
with manual reset
covered capillary length 900 mm - 16A 250V
bulb \varnothing 6x70 mm
for Bain-marie gas (ANGELO PO) - Series ALPHA
Series DELTA



ANGELO PO 32V0460

EGO 5532532817

5032993 SINGLE-PHASE THERMOSTAT 200-375°F
D-shaped pin \varnothing 6x4.6 mm
capillary length 600 mm
bulb \varnothing 80x120 mm - w/stuffing gland fitting M8x1
with tank sealing fitting \varnothing 1/4"
for Fryer (FRYMASTER) GF14 - GF14ST - GF40
GF40ST




FRYMASTER 8071692



Suitable for:

3444840 SINGLE-PHASE THERMOSTAT 200-400°F
 complete with silk-screen printed knob \varnothing 50 mm
 D-shaped pin \varnothing 6x4.6 mm
 capillary length 1250 mm - 50VA 120-277Vac
 bulb \varnothing 6x320 mm - with stuffing gland fitting M8x1
 with tank sealing fitting \varnothing 1/4"



ROBERTSHAW R-KX-65-48

ROBERTSHAW R-5300-714

Suitable for:

3444841 SINGLE-PHASE THERMOSTAT 200-400°F
 complete w/screen print.knob \varnothing 50 mm and ring nut
 D-shaped pin \varnothing 6x4.6 mm
 capillary length 930 mm
 bulb \varnothing 10x130 mm - w/ stuffing gland fitting M8x1
 with tank sealing fitting \varnothing 1/4"



ROBERTSHAW R-5300-711

3444847 SINGLE-PHASE THERMOSTAT 200-400°F
 D-shaped pin \varnothing 6x4.6 mm
 bulb \varnothing 9x130 mm - w/ stuffing gland fitting M13x1
 for Fryer electric (HENNY PENNY) PFE600
 for Fryer gas (HENNY PENNY) PFG600



HENNY PENNY HP14293

ROBERTSHAW R-EA5-305-46

ROBERTSHAW R-EA5-305-48


5039063 SINGLE-PHASE THERMOSTAT 200-400°F
 D-shaped pin \varnothing 6x4.6 mm
 capillary length 920 mm
 bulb \varnothing 10x100 mm - w/stuffing gland fitting M8x1
 with tank sealing fitting \varnothing 1/4"



FRYMASTER 8262013

GARLAND 227141

3744126 SINGLE-PHASE THERMOSTAT 200-450°F
 complete w/silkscreen printed knob \varnothing 50 mm
 D-shaped pin \varnothing 6x4.6 mm
 capillary length 860 mm
 bulb \varnothing 5x250 mm



ROBERTSHAW R-5300-114

3444554 SINGLE-PHASE THERMOSTAT 210°C
 covered capillary length 1250 mm
 bulb \varnothing 6x47 mm
 for Boiling pan (ZANUSSI) - Series N900



ALPENINOX 0C1000
 ZANUSSI 0C1000

EGO 5534143802

ELECTROLUX 0C1000

3444821 SINGLE-PHASE THERMOSTAT 218°C
 complete with wiring
 threaded bulb \varnothing 1/2" - \varnothing 13x100 mm
 with adjusting screw
 for Fryer gas (FRYMASTER) MJ35



FRYMASTER 8067550

3444928 SINGLE-PHASE THERMOSTAT 218°C
 complete with wiring
 threaded bulb \varnothing 1/2" (15/21) - \varnothing 13.5x83 mm
 for Fryer gas (FRYMASTER) GF14 - J1C - MJCF
 MJCFEC - MJ35 - MJ45E



FRYMASTER 806-0178
 FRYMASTER 806-0714
 FRYMASTER 806-5333
 FRYMASTER 8060179
 FRYMASTER 8063410
 FRYMASTER 8261177

FRYMASTER 806-0178SP
 FRYMASTER 806-0814
 FRYMASTER 8060178
 FRYMASTER 8060714
 FRYMASTER 8065333

FRYMASTER 806-0179
 FRYMASTER 806-3410
 FRYMASTER 8060178SP
 FRYMASTER 8060814
 FRYMASTER 826-1177



Suitable for:

Thermostats



3444657 SINGLE-PHASE THERMOSTAT 220°C
 with manual reset
 complete with bulb and plate fastening clips
 capillary length 1130 mm - 16A 250V
 bulb \varnothing 3x158 mm - with stuffing gland fitting M9x1
 for Fryer (FRI FRI) - Series ECO



EGO 5610549590
FRI FRI FW600382

FRI FRI 600382

FRI FRI 600709

3444915 SINGLE-PHASE THERMOSTAT 220°C
 with automatic reset
 capillary length 1500 mm
 bulb \varnothing 6x80 mm - with stuffing gland fitting M9x1
 for Fryer gas (CAPIC) AB20 - A20 - CA10 - CT1
 CTIB - C10 - 2045 - 3085



CAPIC E401006

EGO 5533544020

3444985 SINGLE-PHASE THERMOSTAT 225°C
 with manual reset
 capillary length 1000 mm
 bulb \varnothing 5x145 mm
 for Fryer gas (PITCO FRIALATOR)



PITCO FRIALATOR P5047181

3444483 SINGLE-PHASE THERMOSTAT 230°C
 with manual reset
 capillary length 900 mm - 0.5A 12V
 bulb \varnothing 6x87 mm
 for Fryer (AMBACH) - Series FG - Series GF
 Series GY



ALPENINOX 0C4279
ELECTROLUX 0C4279

AMBACH 5061614325
ZANUSSI 0C4279

EGO 5532542836

3444497 SINGLE-PHASE THERMOSTAT 230°C
 with automatic reset
 capillary 850 mm - 16A 250V
 bulb \varnothing 6x78 mm - with adapter nipple bland M9x1
 for Fryer (MARENO)



EGO 5532542833

MARENO MA1871100

MARENO 1871100

3444598 SINGLE-PHASE THERMOSTAT 230°C
 with manual reset
 covered capillary length 930 mm - 16A 250V
 bulb \varnothing 5x70 mm
 for Fryer (MOVILFRIT)
 for Fryer electric (REPAGAS) FE10 - FE17 - FE8



GAYC 12411040

MOVILFRIT 901770

REPAGAS 57103016

3444639 SINGLE-PHASE THERMOSTAT 230°C
 with manual reset
 covered capillary length 900 mm
 bulb \varnothing 3x160 mm
 for Fryer (CF CENEDESE)



CF CENEDESE 63.7.0630

3444651 SINGLE-PHASE THERMOSTAT 230°C
 with manual reset
 capillary length 950 mm - 16A 250V
 bulb \varnothing 3x190 mm
 for Fryer electric (BERTO'S) ELT10 - ELT4 - ELT8
 for Fryer electric (ELETTROBAR) FRI12 - FRI6
 FRI9



BERTO'S 33070300

ELETTROBAR 236034

ELETTROBAR 236045



Suitable for:

Suitable for:

3444970 SINGLE-PHASE THERMOSTAT 230°C
with manual reset
capillary length 1800 mm
bulb \varnothing 6x75 mm - with adapter nipple bland M9x1
with complete tank joint M12x1



EGO 5533545040

MORICE TH0108

3744002 SINGLE-PHASE THERMOSTAT 230°C
with manual reset
capillary length 1500 mm
bulb \varnothing 6x77 mm - with adapter nipple bland
for Bratt pan (COMETTO)
for Fryer (COMETTO)



COMETTO 50069

EGO 5610543500

SOLYMAC P78

3744097 SINGLE-PHASE THERMOSTAT 230°C
complete with cut-off thermocouple
with manual reset
capillary length 750 mm
bulb \varnothing 6x77 mm
for Fryer (EMMEPI) - Series 900



EGO 5610542560
EMMEPI C00377
EMMEPI

EGO 5610549500
EMMEPI C00926
EMMEPI 513130201

EMMEPI C00169
EMMEPI C00926+C00169+...
EMMEPI 513130201+C00169+

3444848 SINGLE-PHASE THERMOSTAT 232°C
with manual reset
capillary length 920 mm
bulb \varnothing 5x185 mm - with stuffing gland fitting M8x1
with tank sealing fitting \varnothing 3/8"
for Fryer electric (HENNY PENNY) OFE290 - OFE291
PFE500 - PFE561 - PFE590
for Fryer gas (HENNY PENNY) OFG390 - PFG500
PFG561 - PFG690 - PFG691



HENNY PENNY HP16738

ROBERTSHAW R-LCH060300000

3444641 SINGLE-PHASE THERMOSTAT 235°C
with manual reset
covered capillary length 1000 mm
bulb \varnothing 3x185 mm
for Fryer (CF CENEDESE)



CF CENEDESE 63.7.0632

FB FAB A PR70008

LOTUS 402511000

3744001 SINGLE-PHASE THERMOSTAT 235°C
with manual reset
capillary length 800 mm
bulb \varnothing 6x125 mm - with stuffing gland fitting M13x1
for Fryer (PITCO FRIALATOR) 14RSS



PITCO FRIALATOR PP10084

PITCO FRIALATOR PP10271

PITCO FRIALATOR P5047210

ROBERTSHAW R-LCHM-0503000

ROBERTSHAW R-LCH4502400000

3444990 SINGLE-PHASE THERMOSTAT 235°C LCH
with manual reset
capillary length 800 mm
bulb \varnothing 8x78 mm
for Fryer (PITCO FRIALATOR)



PITCO FRIALATOR P5047216

ROBERTSHAW R-LCH3703000

3444548 SINGLE-PHASE THERMOSTAT 240°C
with manual reset
capillary length 400 mm
bulb \varnothing 4x90 mm
for Fryer (FIMAR) - Series FT - Series SF



FIMAR CO1110



Suitable for:

Thermostats



3444729 SINGLE-PHASE THERMOSTAT 240°C
with manual reset
capillary length 530 mm - 20A 250V
bulb \varnothing 6x60 mm
for Fryer (COCINAS SALA)



COCINAS SALA R2511

3444765 SINGLE-PHASE THERMOSTAT 240°C
covered capillary length 550 mm - 16A 230V
bulb \varnothing 4x90 mm
for Fryer electric (ROLLER GRILL) RF12 - RF14
RF25 - RF3 - RF5 - RF8



BARTSCHER 1010501
ROLLER GRILL A06004

CAPIC E401002

EGO 5511549080

3444815 SINGLE-PHASE THERMOSTAT 240°C
D-shaped pin \varnothing 6x4.6 mm
capillary length 1400 mm
bulb \varnothing 6x160 mm



GARLAND 2300500

3444475 SINGLE-PHASE THERMOSTAT 250°C
with manual reset
capillary length 900 mm
bulb \varnothing 3.1x174 mm



EGO 5514542040

3444634 SINGLE-PHASE THERMOSTAT 250°C
with manual reset
capillary length 530 mm
bulb \varnothing 6x55 mm
for FRYER 7-8-10 L
for Fryer (DOSILET)



DOSILET 400007014

EGO 5610549610

3444684 SINGLE-PHASE THERMOSTAT 250°C
with manual reset
covered capillary length 900 mm
bulb \varnothing 6x90 mm
for Fryer (ZANUSSI) - Series N700 - Series N900



ALPENINOX 005931
ZANUSSI 005931

EGO 5532542858

ELECTROLUX 005931

3744112 SINGLE-PHASE THERMOSTAT 27-106°C
D-shaped pin \varnothing 6x4.6 mm
capillary length 1750 mm - 16A 250V
bulb \varnothing 6x113 mm
for Food-service trolley (BLANCO) BLT1020EB - SAG2
SAG3



BLANCO 106380

EGO 5518025020

3444814 SINGLE-PHASE THERMOSTAT 280°C
D-shaped pin \varnothing 6x4.6 mm
capillary length 1350 mm
bulb \varnothing 6x300 mm
for Oven under cooktop (GARLAND)



GARLAND G02902-01



Suitable for:

3444320 SINGLE-PHASE THERMOSTAT 285°C
 with manual reset
 covered capillary length 1500 mm - 16A 250V
 bulb \varnothing 4x115 mm
 for Fryer (ANGELO PO) - Series ALPHA
 Series BIFRONTI - Series DELTA - Series GAMMA
 Series JUNIOR - Series OMEGA - Series SENIOR
 Series SUMMIT



ANGELO PO 3225610

EGO 5532554800

Suitable for:

3444645 SINGLE-PHASE THERMOSTAT 290°C
 with automatic reset
 capillary length 2025 mm
 bulb \varnothing 6x57 mm
 for Boiling pan (FAGOR) - Series MG-BM
 for Fryer (MOVILFRIT)
 for Fryer electric (FAGOR) FE-18 - FE-25 - FE-4
 FE-6 - FE-8




EGO 5511549050

FAGOR X033001000

MOVILFRIT 901771

3444470 SINGLE-PHASE THERMOSTAT 30-110°C
 complete with switch
 D-shaped pin \varnothing 6x4.6 mm
 capillary length 870 mm - 16A 400V
 bulb \varnothing 6x113 mm



EGO 5513622080

3444685 SINGLE-PHASE THERMOSTAT 30-110°C
 D-shaped pin \varnothing 6x4.6 mm
 capillary length 1000 mm
 bulb \varnothing 6x100 mm
 for Bain-marie (EMMEPI) - Series 700 - Series 750
 Series 900
 for Hot cupboard (EMMEPI) - Series 700
 Series 750 - Series 900



EMMEPI C00219

EMMEPI C00220

EMMEPI 807256

3444742 SINGLE-PHASE THERMOSTAT 30-130°C
 D-shaped pin \varnothing 6x4.6 mm
 capillary length 850 mm - 16A 230V
 bulb \varnothing 6x80 mm



BLANCO 105797

EGO 5514022120

3444797 SINGLE-PHASE THERMOSTAT 30-210°C
 D-shaped pin \varnothing 6x4.6 mm
 capillary 500 mm - 20A 250V
 bulb \varnothing 6x65 mm
 for Fryer (COCINAS SALA)



COCINAS SALA R2512

3444560 SINGLE-PHASE THERMOSTAT 30-90°C
 D-shaped pin 6x4.6 mm
 capillary covered length 1450 mm - 23A 400V
 bulb \varnothing 6x90 mm
 for Food-service trolley (ZANUSSI)



ALPENINOX 033716

ELECTROLUX 033716

ZANUSSI 033716




Suitable for:

Thermostats



3444056 SINGLE-PHASE THERMOSTAT 30-93°C
 complete with auxiliary selector switch
 D shaft \varnothing 6x4.6 mm
 covered capillary length 900 mm - 16A 250V
 button bulb \varnothing 31 mm
 for Bain-marie (ANGELO PO) - Series GAMMA
 Series JUNIOR
 for Hot cupboard (ANGELO PO)
 for Self service counter (ANGELO PO)



ANGELO PO 3220410
EGO 5513612150

EGO 5141918030


EGO 5141918500

3186451 THERMOSTAT GASKET \varnothing 40 mm
 internal hole \varnothing 18 mm
 for Bain-marie (ANGELO PO) - Series GAMMA
 Series JUNIOR
 for Hot cupboard (ANGELO PO)
 for Self service counter (ANGELO PO)



ANGELO PO 3150270

3444813 SINGLE-PHASE THERMOSTAT 310°C
 D-shaped pin \varnothing 6x4.6 mm
 capillary length 1350 mm
 bulb \varnothing 6x300 mm
 for Oven under cooktop (GARLAND) E686



GARLAND G0894-01

3444681 SINGLE-PHASE THERMOSTAT 318°C
 capillary length 800 mm
 bulb \varnothing 4x110 mm - with adapter nipple band M9x1
 with complete tank joint M12x1




EGO 5511569020
PALUX 242746

ELOMA 336004

ELOMA E0232

2101404 SINGLE-PHASE THERMOSTAT 32-110°C
 D-shaft \varnothing 6x4.6 mm
 capillary 870 mm - 16A 240V
 bulb \varnothing 6x100 mm - adapter nipple bland M9x1



CORSAIR 47-030
MOFFAT 1103

EGO 5518022010
VISCOUNT 932292-01

LINCAT TH34

3444655 SINGLE-PHASE THERMOSTAT 320°C
 with manual reset
 covered capillary length 1800 mm - 16A 250V
 bulb \varnothing 4x100 mm
 for Fryer (FRI FRI) - Series FFS



EGO 5610555500

FRI FRI 601275

FRI FRI 600711

3444731 SINGLE-PHASE THERMOSTAT 34-114°C
 D-shaped pin \varnothing 6x4.6 mm
 capillary length 900 mm - 16A 230V
 button bulb \varnothing 31 mm



EGO 5513022450

MKN 203167

3444474 SINGLE-PHASE THERMOSTAT 35-128°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 880 mm
 bulb \varnothing 3.1x174 mm



EGO 5514022100



Suitable for:

3444658 SINGLE-PHASE THERMOSTAT 35-188°C

D-shaped pin \varnothing 6x4.6 mm
covered capillary length 500 mm - 16A 250V
bulb \varnothing 3x155 mm
for Fryer (FRI FRI) - Series ECO



EGO 5513039380

FRI FRI 400772

Suitable for:

3186790 GASKET FOR THERMOSTAT



FRI FRI 998999

3444310 SINGLE-PHASE THERMOSTAT 360°C

with manual reset
capillary length 900 mm - 16A 250V
bulb \varnothing 6x75 mm
for Bratt pan (BARON) - Series 700 - Series 900
for Fry top (BARON) - Series 700 - Series 900



BARON BN826630010

BARON 826630010

EGO 5532562819

3444595 SINGLE-PHASE THERMOSTAT 40-280°C

D-shaped pin \varnothing 6x4.6 mm
capillary 850 mm - 16A 400V
bulb \varnothing 3x145 mm
for Panini grill electric (ROLLER GRILL) SAVOJE
for Fry top electric (ROLLER GRILL) PSR900E
PSR900EC



ROLLER GRILL A06032

3744134 SINGLE-PHASE THERMOSTAT 435°F

with automatic reset
capillary length 900 mm
bulb \varnothing 80x100 mm - w/stuffing gland fitting M8x1
with tank sealing fitting \varnothing 1/4"



FRYMASTER 8073516

3444820 SINGLE-PHASE THERMOSTAT 440°F

with automatic reset
capillary length 600 mm
bulb \varnothing 5x260 mm
for Fryer (FRYMASTER) FH14 - FMH14 - FMH214
FMH314 - FPH317CSD



FRYMASTER 8071070

FRYMASTER 8261001

3744122 SINGLE-PHASE THERMOSTAT 450°F

D-shaped pin \varnothing 6x4.6 mm
capillary length 850 mm - 30A 277V
bulb \varnothing 5x285 mm
for Potato heater (ALTO-SHAAM) 100-HSL/BCS-2
100-HSL/BCS-2S - 100-HSL/TM - 100-HSL/TMS
for Warm table (ALTO-SHAAM) 200-HFT - 300-HFT
300-HST - 300-TMC



ALTO-SHAAM TT-3498

5060416 SINGLE-PHASE THERMOSTAT 450°F

with manual reset
capillary length 840 mm
bulb \varnothing 80x100 mm - w/stuffing gland fitting M8x1
with tank sealing fitting \varnothing 1/4"




FRYMASTER 8073680



Suitable for:

3444640 SINGLE-PHASE THERMOSTAT 50-190°C

D-shaped pin \varnothing 6x4.6 mm
covered capillary length 850 mm
bulb \varnothing 3x140 mm
for Fryer (CF CENEDESE)



CF CENEDESE 63.7.0640

3444392 SINGLE-PHASE THERMOSTAT 50-300°C

complete with knob
capillary length 900 mm - 23A 400V
bulb \varnothing 4x95 mm
for Panini grill electric (FIMAR) PD50 - PS24
PS36



FIMAR CO1708

FIMAR CO1745

3444543 SINGLE-PHASE THERMOSTAT 50-300°C

D-shaped pin 6x4.6 mm
capillary length 840 mm - 16A 250V
bulb \varnothing 3x185 mm



EGO 5517052100


EMMEPI 809924

FB FAB A PR10009

FIMAR CO1941

3444177 SINGLE-PHASE THERMOSTAT 50-310°C

complete with auxiliary selector switch
D-shaped pin \varnothing 6x4.6 mm
covered capillary length 1500 mm - 16A 250V
bulb \varnothing 4x120 mm
for Bratt pan (ANGELO PO)
for Fry top (ANGELO PO)



ANGELO PO 32V6510

ANGELO PO 32Z2670

EGO 5143958630

Thermostats



Suitable for:

3444628 SINGLE-PHASE THERMOSTAT 50-250°C

complete with knob and nut
D-shaped pin \varnothing 6x4.6 mm
capillary length 800 mm
bulb \varnothing 3x180 mm
for Panini grill electric (SAMMIC) GLD - GRD - GRL
GRS



EGO 5517042060

SAMMIC 6100070

3444514 SINGLE-PHASE THERMOSTAT 50-300°C

D-shaped pin \varnothing 6x4.6 mm
capillary length 660 mm - 16A 240V
bulb \varnothing 4x100 mm



EMMEPI 808872

NUOVA SIMONELLI 15320005

SIRMAN IGS460

3444547 SINGLE-PHASE THERMOSTAT 50-300°C

D-shaped pin 6x4.6 mm
capillary length 470 mm - 16A 250V
bulb \varnothing 4x115 mm



MILAN TOAST 16481

3444635 SINGLE-PHASE THERMOSTAT 50-320°C

D-shaped pin \varnothing 6x4.6 mm
covered capillary length 1200 mm
double bulb \varnothing 3x120 mm
for Oven under cooktop (LOTUS) - Series 600
Series 650



BONNET 2050031

EGO 5519069831

LOTUS 537019100



Suitable for:

3444525 SINGLE-PHASE THERMOSTAT 50-95°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 1470 mm
 bulb \varnothing 6x113 mm
 for Food-service trolley (BLANCO) - Series SAG
 Series SAW - Series STW



BLANCO 105796

EGO 5514014040

EGO 5514014060

Suitable for:

3444754 SINGLE-PHASE THERMOSTAT 50-98°C
 D-shaped pin 6x4.6 mm
 covered capillary length 2400 mm - 16A 230V
 bulb \varnothing 3x335 mm - with stuffing gland M9x1



ALPENINOX 0H6440

EGO 5510219080

ZANUSSI 0H6440

EGO 5519219030

ELECTROLUX 0H6440

EGO 9755192017

JUNO-RÖDER-SENKING 232909

3444467 SINGLE-PHASE THERMOSTAT 55-180°C
 complete with switch
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 870 mm - 16A 250V
 bulb \varnothing 4x120 mm
 for Boiling pan (MARENO) - Series 700
 Series 900 PROTAGONISTA
 for Fryer (MARENO) - Series 700 - Series 900



EGO 5510632800

SILKO 0105028

EGO 5519632020

ROSINOX RX94812560

3744118 SINGLE-PHASE THERMOSTAT 60-210°F
 D-shaped pin \varnothing 6x4.6 mm
 capillary length 914 mm
 bulb \varnothing 5x390 mm
 for Hot cupboard (ALTO-SHAAM) 500-1DN - 500-2DN
 500-3D - 500-3DN - 750-S



ALTO-SHAAM TT-33626

3744120 SINGLE-PHASE THERMOSTAT 60-210°F
 D-shaped pin \varnothing 6x4.6 mm
 capillary length 1000 mm - 15A 250V
 bulb \varnothing 5x400 mm
 for Food-service trolley electric (ALTO-SHAAM)
 1767-SK
 for Hot cupboard (ALTO-SHAAM) 1000-TH-I
 1000-TH-II - 500-TH-II - 500-2DN - 750-TH-II
 for Hot cupboard electric (ALTO-SHAAM) 767-SK



ALTO-SHAAM TT-3057

5015518 SINGLE-PHASE THERMOSTAT 62-189°C
 complete with auxiliary selector switch
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 700 mm - 16A 250V
 bulb \varnothing 4x120 mm
 for Boiling pan (MARENO) - Series 700
 Series 900 PROTAGONISTA
 for Fryer (MARENO) - Series 700 - Series 900



EBERHARDT MACM097800

MARENO MACM097800

EGO 5519632030

SILKO CM097800

MARENO CM097800




Suitable for:

Thermostats



Suitable for:

2101246 SINGLE-PHASE THERMOSTAT 82°-96°C
 D-shaft \varnothing 6x4.6 mm
 capillary 870 mm
 bulbo \varnothing 6x147 mm - adapter nipple bland M9x1




CORSAIR 01-027
MOFFAT 3112

EGO 5513212370
MOORWOOD VULCAN 930422-01

LINCAT TH09
VISCOUNT 930422-01

3444984 SINGLE-PHASE THERMOSTAT 95-205°C
 D-shaped pin \varnothing 6x4.6 mm
 capillary length 1000 mm
 bulb \varnothing 10x130 mm - with adapter nipple band
 for Fryer electric (PITCO FRIALATOR)
 for Fryer gas (PITCO FRIALATOR)



PITCO FRIALATOR P5047589

3241775 BLACK KNOB \varnothing 50 mm 200-400°C
 D-shaped pin 6x4.6 mm
 for Fryer (PITCO FRIALATOR)



PITCO FRIALATOR P6071273

ROBERTSHAW R-Z34620-75

3744133 THERMOSTAT ARTH090 0-40°C
 plastic case
 2 contacts 15A 250V - spiral capillary
 max temperature 110°C



3744132 THERMOSTAT ARTH095 0-40°C
 plastic case
 2 contacts 15A 250V
 max temperature 110°C



3744131 THERMOSTAT ARTH096 0-40°C
 plastic case
 2 contacts 15A 250V - capillary length 1500 mm
 max temperature 110°C



3444799 THERMOSTAT F2000 +30+120°C
 3 contacts 10A 250V
 capillary 1500 mm
 bulb \varnothing 6x115 mm



COCINAS SALA R2513



Suitable for:

3444178 THERMOSTAT MODIFICATION KIT 105-185°C

D-shaped pin \varnothing 6x4.6 mm
complete with auxiliary commutator
complete with substitution manual
covered capillary length 900 mm - 16A 250V
threaded bulb \varnothing 1/2" x 91 mm
complete with screenprinted plates
for Fryer (ANGELO PO) - Series JUNIOR
Series SENIOR



ANGELO PO 6005040

ANGELO PO 6300738

EGO 420290000

Suitable for:

2111537 THERMOSTAT SINGLE-PHASE 130°-190°C

D-shaft \varnothing 6x4.6 mm
capillary 870 mm
bulb \varnothing 6x117 mm - adapter nipple bland M9x1
with connection for tank M12x1



BARTLETT 3925-212
LINCAT TH29

CORSAIR

EGO 5513032260

3394327 THERMOSTAT STUFFING GLAND KIT



ELFRAMO 00038680

KOMEL 00038680

2102671 THERMOSTAT TRIPHASE 360°C

with manual reset
capillary length 1780 mm - 16A 400V
bulb \varnothing 4x128 mm




EGO 5534175010

MKN 203938

3444336 THERMOSTAT TR2 0-270°C

complete with auxiliary selector switch
D-shaped pin \varnothing 6x4.6 mm
capillary length 940 mm - 15A 250V
bulb \varnothing 3.5x190 mm
for Hot plate electric (ELETTOBAR)
for Hot plate electric (FIMAR)



BERTO'S 30084600
FIMAR CO4421

CF CENEDESE 63.7.0651

ELETTOBAR 921046

7102945 THERMOSTAT TR2 0-90°C

D-shaft \varnothing 6x4.6 mm
capillary length 1500 mm - 15A 250V
bulb \varnothing 6.5x95 mm
for Display cabinet warm (TECNOEKA) ROTOTERM/3



TECNOEKA 01201430

TECNOEKA 10950057000

2000134 THERMOSTAT 3-PHASE 50-300°C

D-shaft \varnothing 6x4.6 mm
covered capillary length 800 mm
bulb \varnothing 6x77 mm
for Bratt pan (BONNET)



BONNET 310824

EGO 5534052110

MKN 203494

3444846 THERMOSTAT 71-99°C

D-shaped pin \varnothing 6x4.6 mm
capillary length 470 mm
bulb \varnothing 6x130 mm
for Food-service trolley (HENNY PENNY) HHC136
HHC900 - HHC902 - HHC903 - HHC906



HENNY PENNY HP14209



Suitable for:

Thermostats



3444810 THERMOSTAT 75-550°F
 complete with wiring
 threaded bulb \varnothing 1/2" - \varnothing 16x134 mm
 10A 120Vac / 5A 240Vac
 with adjusting screw
 for Fryer gas (FRYMASTER) MJCF - MJ45E
 for Pasta cooker electric (FRYMASTER) 6BC - 6C
 6SMS



FRYMASTER 8060183

GARLAND F8060183

GARLAND 806-0183

3444822 THERMOSTAT 75-550°F
 with cables
 threaded bulb \varnothing 1/2" - \varnothing 16x134 mm
 with adjusting screw
 for Fryer gas (FRYMASTER) MJCF - MJ45E
 for Pasta cooker electric (FRYMASTER) 6BC - 6C
 6SMS



FRYMASTER 8060183

2101244 THREE-PHASE THERMOSTAT 130°-190°C
 D-shaft \varnothing 6x4.6 mm
 capillary 880 mm - 10A 400V
 bulb \varnothing 6x220 mm



EGO 5534032300

LINCAT TH24

MOFFAT 2855

MOORWOOD VULCAN 926561-01

VISCOUNT 9265161-01

3444626 THREE-PHASE THERMOSTAT 150°C
 with manual reset
 covered capillary length 800 mm - 20A 380V
 bulb \varnothing 6x90 mm
 for Boiling pan electric (ANGELO PO) 2A1PI3E
 291PI3E
 for Boiling pan electric (BARON) - Series 700
 Series 900
 for Pasta cooker electric (ANGELO PO) MCF20E
 MCF40E



ANGELO PO 32V0320

BARON BN41853310064

BARON 41853310064

BARON 853310064

EGO 5532522837

3744121 THREE-PHASE THERMOSTAT 154°C
 with manual reset
 covered capillary length 870 mm - 20A 400V
 bulb \varnothing 6x100 mm
 for Food-service trolley electric (ALTO-SHAAM)
 500-TH/III - 750-TH/III - 767-SK/III
 for Hot cupboard (ALTO-SHAAM) 1000-TH/III
 1200-TH/III



ALTO-SHAAM TT-33476

EGO 5533522040

3444343 THREE-PHASE THERMOSTAT 20-500°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 1030 mm
 bulb \varnothing 20x20 mm
 for Kitchen electric (AMBACH) - Series 900



AMBACH 5061614400



Suitable for:

2111694 THREE-PHASE THERMOSTAT 225°C

with manual reset
capillary 830 mm
bulbo ø 6x270 mm



EGO 5531542100

LINCAT TH19

Suitable for:

2102268 THREE-PHASE THERMOSTAT 230°C

with manual reset
capillary length 870 mm - 10A 400V
bulb ø 6x110 mm



EGO 5533542090
VALENTINE 70502

LINCAT TS41

LINCAT TH61

2111236 THREE-PHASE THERMOSTAT 230°C

with automatic reset
covered capillary length 2420 mm - 10A 400V
bulb ø 6x117 mm - with stuffing gland M9x1
for Fry top electric (MKN)



EGO 5533544010
MKN 203660

EGO 5533549040

MKN 203489

3444466 THREE-PHASE THERMOSTAT 230°C

covered capillary length 900 mm - 10A 400V
bulb ø 4x115 mm
for Boiling pan electric (MARENO)
Series 900 PROTAGONISTA
for Fryer (MARENO) - Series 700 - Series 900



EGO 5532542848
SILKO MACM097700

MARENO CM097700
SILKO 0105030

ROSINOX RX94812559

3744113 THREE-PHASE THERMOSTAT 230°C

with manual reset
covered capillary length 600 mm - 10A 400V
bulb ø 4x122 mm
for Fryer (MARENO) - Series 900 PROTAGONISTA NUOVA



EBERHARDT 282267
MARENO MACM097701

EGO 5532542370
SILKO CM097701

MARENO CM097701

3444437 THREE-PHASE THERMOSTAT 250°C

with manual reset
covered capillary length 2500 mm - 20A 380V
bulb ø 6x240 mm
for Bratt pan (WHIRLPOOL) - Series 700
for Bratt pan (ZANUSSI) - Series H700
for Fryer (WHIRLPOOL) - Series 700
for Fryer (ZANUSSI) - Series H700




ALPENINOX 054932
WHIRLPOOL 771985003052

EGO 5531549040
WHIRLPOOL 154932

ELECTROLUX 054932
ZANUSSI 054932

3444739 THREE-PHASE THERMOSTAT 250°C

with manual reset
covered capillary length 1470 mm - 10A 400V
bulb ø 6x100 mm - adapter nipple bland M9x1



EGO 5533544040

MKN 203183

PALUX 637726

3444351 THREE-PHASE THERMOSTAT 295°C

with manual reset
covered capillary 1800 mm - 10A 400V
bulb ø 4x125 mm - 10A 400V
for TECNOINOX OVEN
for EMMEPI OVEN 900-750-700-650 - FRYTOP 900-750



ALPENINOX 004921
EMMEPI C00686
TECNOINOX FC00063000

EGO 5532555800
TECNOINOX 00063
ZANUSSI 004921

ELECTROLUX 004921
TECNOINOX 81401059



Suitable for:

Thermostats



2000135 THREE-PHASE THERMOSTAT 360°C
with manual reset
covered capillary length 1710 mm - 10A 400v
bulb \varnothing 4x120 mm

Suitable for:

3444621 WASHER FOR CAPILALRY THERMOSTAT



EGO 5532579010

MKN 203484



EGO 6706101

The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.



LF SpA
via Voltri, 80 - 47522 Cesena (FC) ITALIA
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10
www.lfricambi724.it - www.lfricambi724.mobi
info@lfricambi.it
Export Dept.: Tel. +39 0547 34 11 50 - Fax: +39 0547 34 11 55
www.lfspareparts724.com - www.lfspareparts724.mobi
export@lfspaceparts.com

FRANCE



EPGC Sas
13, Rue des Forts - 59960 Neuville en Ferrain
Tél. +33 (0)3 20 25 06 21
Fax +33 (0)3 20 25 34 12
www.epgc.com
www.epgc724.mobi
epgc@epgc.com

DEUTSCHLAND



LF GmbH
Junkersstrasse, 1 - D-82178 Puchheim - München
Tel. +49 89 89 45 78 66
Fax +49 89 89 45 78 88
www.lfersatzteile724.de
www.lfersatzteile724.mobi
info@lfersatzteile.de

SCHWEIZ



LF GmbH Verkaufsbüro
Sennweidstrasse, 45 - CH-6312 Steinhausen
Tel. +41 (0)41 760 15 80-1
Fax +41 (0)41 760 15 85
www.lfersatzteile724.ch
www.lfersatzteile724.mobi
info@lfersatzteile.ch

ESPAÑA



LF Repuestos Horeca S.L.U.
Calle Ciudad Real, 10 - 45517 Escalonilla - Toledo
Tif. +34 91 477 91 00
Fax +34 91 477 90 81
www.lfrepuestos724.es
www.lfrepuestos724.mobi
info@lfrepuestos.es

UNITED KINGDOM



LF Spare Parts Ltd.
A10a Lakeside Business Park, Broadway Lane
South Cerney, Gloucestershire GL7 5XL
Tel. +44 (0)1285 86 16 25
Fax +44 (0)1285 86 39 49
www.lfspareparts724.co.uk
www.lfspareparts724.mobi
info@lfspaceparts.co.uk

RUSSIA



OOO LF
ul, Anatoliya Zhivova, 8 - office 1 - 123100 Moscow
Tel. +7 499 259 85 75
Fax +7 495 725 26 53
www.lfspareparts724.ru
www.lfspareparts724.mobi
info@lfspaceparts.ru

CHINA



LF China
Room 102, House 8, Lane 725, Mao Tai Rd.
Changning Dist. - 200336 Shanghai
Tel. +86 (0)21 33 53 66 31
Fax +86 (0)21 33 53 66 32
www.lfspareparts724.com
www.lfspareparts724.mobi
china@lfspaceparts.com